


THE 3rd ASIAN PHYSICS SYMPOSIUM (APS 2009)

Bandung, Indonesia
July 22 - 23, 2009

ISBN : 978-979-98010-5-0

PROCEEDINGS

Editors:
Khairul Basar
Yudi Darma



Organized by:
Department of Physics, Institut Teknologi Bandung

Supported by:
Faculty of Mathematics and Natural Sciences,
Institut Teknologi Bandung

Preface

The proceedings of The 3rd Asian Physics Symposium (APS 2009) have been completed. We thank very much to the entire member of the committee who worked hard for this completion.

In these proceedings we can find much valuable information dealing with Materials Physics, Earth and Planetary Physics, Theoretical Physics, Control and Automatization, Biophysics, Medical Physics, Nuclear Physics and Special Topics of Physics. Papers containing that information have been presented at the symposium.

On behalf of the Organizing Committee, here we want to express our thank to all participant of The 3rd Asian Physics Symposium (APS 2009). Hope we will meet again with more interesting and valuable information in the next symposium.

Thank you.

Editors,

Dr. Khairul Basar
Dr. Yudi Darma

Steering Committee

- Hans-Dieter Liess (*University of the Bundeswehr Munich, Germany*)
- Seiichi Miyazaki (*Hiroshima University, Japan*)
- Jin-Koo Rhee (*Dongguk University, MINT, South Korea*)
- Tsuneomi Kagiya (*Kyoto University, Japan*)
- Yoshihiro Iwasa (*Tohoku University, Japan*)
- Minoru Takahashi (*Tokyo Institute of Technology, Japan*)
- Wuled Lenggoro (*Tokyo University of Agriculture and Technology, Japan*)
- Ahmad Shukri Mustapa Kamal (*University Sains Malaysia, Malaysia*)
- A K Arof (*Universiti Malaya, Malaysia*)
- Zaki Su'ud (*Institut Teknologi Bandung, Indonesia*)
- Freddy Permana Zen (*Institut Teknologi Bandung, Indonesia*)
- Kusminarto (*Universitas Gadjah Mada, Indonesia*)
- Evvy Kartini (*BATAN, Indonesia*)
- L. T. Handoko (*LIPI, Indonesia*)
- Agus Purwanto (*Institut Teknologi Sepuluh Nopember, Indonesia*)
- Darminto (*Institut Teknologi Sepuluh Nopember, Indonesia*)
- Djarwani (*Universitas Indonesia, Indonesia*)
- Rustam Siregar (*Universitas Padjadjaran, Indonesia*)
- Khairurrijal (*Institut Teknologi Bandung, Indonesia*)
- Mitra Djamal (*Institut Teknologi Bandung, Indonesia*)
- Abdul Waris (*Institut Teknologi Bandung, Indonesia*)
- Wahyu Srigutomo (*Institut Teknologi Bandung, Indonesia*)
- Mikrajuddin Abdullah (*Institut Teknologi Bandung, Indonesia*)

Organizing Committee

- Khairul Basar (*Institut Teknologi Bandung, Indonesia*), chair
- Yudi Darma (*Institut Teknologi Bandung, Indonesia*), co-chair
- Siti Nurul Khotimah (*Institut Teknologi Bandung, Indonesia*)
- Mikrajuddin Abdullah (*Institut Teknologi Bandung, Indonesia*)
- Abdul Waris (*Institut Teknologi Bandung, Indonesia*)
- Wahyu Srigutomo (*Institut Teknologi Bandung, Indonesia*)
- Umar Fauzi (*Institut Teknologi Bandung, Indonesia*)
- Widayani (*Institut Teknologi Bandung, Indonesia*)
- Rizal Kurniadi (*Institut Teknologi Bandung, Indonesia*)
- Rena Widita (*Institut Teknologi Bandung, Indonesia*)
- Bobby E. Gunara (*Institut Teknologi Bandung, Indonesia*)
- Sparisoma Viridi (*Institut Teknologi Bandung, Indonesia*)
- Inge M. Sutjahja (*Institut Teknologi Bandung, Indonesia*)
- Novitrian (*Institut Teknologi Bandung, Indonesia*)
- Nurhasan (*Institut Teknologi Bandung, Indonesia*)
- Kuwat Triana (*Universitas Gadjah Mada, Indonesia*)
- P. L. Gareso (*Universitas Hasanuddin, Indonesia*)
- Markus Diantoro (*Universitas Negeri Malang, Indonesia*)
- Fitrilawati (*Universitas Padjadjaran, Indonesia*)

Contents

1.	<u>3-Dimensional W-band Single Balanced Mixer by 70 nm MHEMTs and DAML Technology</u>	1
	<i>Jin-Koo Rhee, Yong-Hyun Baek, Tae-Jong Baek, Yeon-Sik Chae, Mi-Ra Kim</i>	
2.	<u>Development of Integrated Nuclear Analysis Code Stage I: Three Dimensional Multigroup Diffusion and Burnup Code</u>	7
	<i>Zaki Suud, Imam Taufiq, Yanti Yulianti, Ade Gaffar Abdullah, Muhammad Syafii</i>	
3.	<u>Fabrication of Metal Silicide Nanodots and Hybrid Stacked Structure in Combination with Silicon Quantum Dots for Floating Gate Application</u>	13
	<i>S. Miyazaki, M. Ikeda, K. Makihara, K. Shimano, R. Matsumoto and N. Morisawa</i>	
4.	Recent Development on Solid State Ionics Materials for Secondary Battery	19
	<i>Evy Kartini</i>	
5.	Formation of Self-Assembled Ge Islands on Si (100) Using Magnetron Sputtering and Subsequent Rapid Thermal Annealing	25
	<i>Amira Saryati Ameruddin, Zulkaflī Othaman, Didik Aryanto and Abd. Khamim Ismail</i>	
6.	Formation of Highly Ordered Two-Dimensional C ₆₀ -based Hybrid Materials Using Langmuir Blodgett Approach	29
	<i>Akfiny Hasdi Aimon, Régis Gengler, Dimitrios Gournis¹, Petra Rudolf, Yudi Darma</i>	
7.	Correlation between Structural and Optical Properties of Self-Assembled In _{0.5} Ga _{0.5} As Quantum Dots	33
	<i>Didik Aryanto, Zulkaflī Othaman, Abd. Khamim Ismail, and Amira Saryati Amerudin</i>	
8.	Preliminary Study on Nickel Nanoparticle growth by Sputtering Method	37
	<i>Patricia Lubis, Altje Latununuwe, Toto Winata</i>	
9.	Supercapacitors based on Nanoporous Carbon and Alkaline Polymer Electrolyte Membranes	41
	<i>Memoria Rosi, Mikrajuddin Abdullah, Khairurrijal</i>	
10.	Effect of Spacer Layer Thickness on Morphology and Optical Properties of Self-Assembled In _{0.5} Ga _{0.5} As Quantum Dots	45
	<i>Zulkaflī Othaman, Didik Aryanto, and Abd. Khamim Ismail</i>	
11.	Electrical Characteristics of CuO Added-ZnFe ₂ O ₄ Ceramic Semiconductor in Air and Ethanol Gas Atmosphere	51
	<i>Wiendartun, Dani Gustaman Syarif, Nur Asiah Jamil</i>	
12.	Strontium and Magnesium Doped Lanthanum Silicate Apatite	57
	<i>Atiek Rostika Noviyanti, Bambang Prijamboedi, I. Nyoman Marsih, and Ismunandar</i>	
13.	Spin State of Co-Ions in Magnetic Thermoelectric Material (Bi,Pb) ₂ (Sr,Ca,Y) ₂ Co ₂ O ₈	61
	<i>I.M. Sutjahja, A. Taufik, A.A. Nugroho</i>	

14.	Effect of Ferromagnetic Layer Thickness on the Giant Magnetoresistance Properties of NiCoFe/Cu/NiCoFe Sandwich	65
	<i>Ramli, Mitra Djamal, and Khairurrijal</i>	
15.	The Optimization of Discharge Power for Area Scale-up Fabrication of $\mu\text{-Si:H}$ Based Solar Cell using Home-made HWC-VHF PECVD Technique	69
	<i>Toto Winata, Ida Usman, and Sukirno</i>	
16.	Electrical Conductivity and Activation Energy of Thin Film Polyaniline Doped with HCl	73
	<i>Mariana B.Malino and Kuwat Triyana</i>	
17.	Influencing Volume Changes and Cross Linking Concentration on Swelling Dynamics of Main Chain Liquid Crystal Elastomer Swollen on 5CB Solvent	77
	<i>Ahmad Kusumaatmaja, Affandi Faisal Kurniawan, Yusril Yusuf</i>	
18.	Development of Organic Resins Hybrid System Using Epoxy Resin	81
	<i>S. Ramis Rau, B. Vengadaesvaran, R. Puteh and A.K. Arof</i>	
19.	The Physical, Mechanical and Thermal Analysis on Methoxy Functional Silicone Intermediate Resin Blending with Acrylic Polyol Resin	87
	<i>R. Puteh, B.Vengadaesvaran, S. Ramis Rau</i>	
20.	Investigation on the Effect of Hydroxyl Functional Solid Phenyl Silicone Intermediate Resin blending with Acrylic Polyol Resin	93
	<i>B.Vengadaesvaran, S. Ramis Rau, R. Puteh, A.K.Arof</i>	
21.	Study of Thermo-Mechanical Effects of Dry Main-Chain Liquid Crystal Elastomers (MCLCEs)	97
	<i>Vivi Hastuti, Ahmad Kusumaatmaja, Yusril Yusuf</i>	
22.	Main Chain Liquid Crystal elastomers: Stress-Strain and Swelling Measurements	103
	<i>Yusril Yusuf, Shigehiro Hashimoto, P. E. Cladis, Helmut R. Brand, Simon Krause, Heino Finkelmann, Shoichi Kai</i>	
23.	Electrical Parameter of Bulk Heterojunction Organic Diode Based on P3OT:PCBM	107
	<i>Winda Setya, Kuwat Triyana</i>	
24.	Measurement and Characterization of lowest band response frequency of PVDF Piezoelectric sensor	111
	<i>Suparno Satira</i>	
25.	Growth of Antimony Base Semiconductors by MOCVD Vertical Method for IR Detector	115
	<i>Euis Sustini, Andi Suhandi, and Pepen Arifin</i>	
26.	Direct Calculation of The Critical Current Enhancement on Superconductor Having Holes	119
	<i>Harsojo, Kamsul Abraha, and Pekik Nurwantoro</i>	
27.	Adsorption of Glycine on Polypyrrole: A Density Functional Theory Study	123
	<i>Hermawan K. Dipojono, Adhitya G. Saputro, Nugraha, Melanie David, Hiroshi Nakanishi, and Hideaki Kasai</i>	

28.	Adsorption of Glycine on Ladder-type Polypyrrole: a Density Functional Theory Study <i>Adhitya G. Saputro, Hermawan K. Dipojono, Nugraha, Melanie David, Hiroshi Nakanishi, and Hideaki Kasai</i>	127
29.	Observing Anomalous Refraction In Photonic Crystal: Eigen Equation and FDTD Analysis <i>Andika Asyuda, H.K. Dipojono, and E. Juliastuti</i>	131
30.	The Effect of the Electron Velocity and the Wafer Orientation on the Tunneling Current of Si/Si _{1-x} Ge _x /Si Heterojunction Bipolar Transistor <i>Lilik Hasanah and Khairurrijal</i>	135
31.	Study on Molecular Hydrogen Trapping on Graphene Using Density Functional Theory <i>Taufik Adi Nugraha, Mikrajuddin Abdullah, and Khairurrijal</i>	141
32.	Simulation of Fabrication of Nanofibers Using Alternating Current Electrospinning Technique <i>Sahrul Saehana, Mikrajuddin Abdullah, and Khairurrijal</i>	147
33.	Statics Freedericksz Transition in the Nematic Liquid Crystals with Elastic Constant k_{24} <i>Jaka Fajar Fatriansyah and Yusril Yusuf</i>	151
34.	Comparison of Geoelectric 2D Wenner Schlumberger and Dipole-Dipole Methods in Analyzing of Subsurface Characteristics in Volcanic Area <i>Muhammad Syukri</i>	157
35.	Two And Three Dimensions Aquifer Layers Modelling From Resistivity Data <i>Tati Zera, Hendri Azwar</i>	163
36.	Mixing Efficiency in Density-Driven Exchange Flows <i>Tjipto Prastowo</i>	167
37.	Magnetic Characterization of Sediment Samples at the Downstream Area of Musi Sub Watershed (DAS Musi Hilir) and Its Relation with Magnetic Aspect From Soil and Rock at the Upstream Area of Musi Sub Watershed (DAS Musi Hulu) <i>Erni, Dedi Setiabudidaya, Wijaya Mardiansyah</i>	173
38.	Imaging of Coal Near Subsurface Intrusion Body Through Seismic Tomography: A Case Study In Suban Block Muara Enim Sumatera <i>B. Endar B. Nurhandoko, Syahrul Mubarok, Indriani Sukmana, Budi Sulistyanto, Syafrizal, Y. Wiyanto, Hussein Rudiyanto, Fajril Ambia</i>	179
39.	Rytov Scattering and Fresnel Zone Modeling for Wavepath 3-D <i>Fajril Ambia, Bagus Endar Bachtiar Nurhandoko</i>	183
40.	An Application of Numerical Simulation in a Seismoelectric Phenomena by Using Transfer Function <i>Alamta Singarimbun, Wahyu Srigutomo, Umar Fauzi, Adhitya Sumardi Sunarya</i>	189
41.	Flow Properties of 3D Pigeon Hole Models <i>Fourier Dzar Eljabbar Latief, Umar Fauzi</i>	195

42.	Microstructure Analyze of Carbonate Reservoir Rock at Parigi Formation (Area Palimanan-Cirebon)	201
	<i>John Adler, Bagus Endar B. Nurhandoko</i>	
43.	Water Zone Pattern Recognition on Cirata's Satellite Image with Levenberg-Marquardt Backpropagation method as the Artificial Neural Network Intelligence Systems	205
	<i>Kisko Riondo Siahaan, Bagus Endar B. Nurhandoko</i>	
44.	Porosity and Fracture Pattern of Coal as CBM Reservoir	211
	<i>Usep Mohamad Ishaq, Satria Bijaksana, Bagus E.B. Nurhandoko</i>	
45.	Land Cover Mapping over Makkah and Mina Using ALOS AVNIR-2 Satellite Image	215
	<i>M. R. Mustapha, H. S. Lim, M. Z. Mat Jafri</i>	
46.	Contrast of Lunar Crescent Visibility	221
	<i>Eka Puspita Arumaningtyas, and Moedji Raharto</i>	
47.	Study on the Youngest, the Thinnest Record of Lunar Crescent Visibility Based on Metonic Membership	225
	<i>Novi Sopwan, Moedji Raharto</i>	
48.	On the Correlation of Solar Energetic Particles Shock Wave, Magnetic Cloud and Geomagnetic Storm	229
	<i>Dhani Herdiwijaya and Johan Hermawan</i>	
49.	Quantifying Acoustic Wave Scattering of Zooplankton	235
	<i>Henry M. Manik</i>	
50.	Dyonic Black Holes in $N=1$ Supergravity	241
	<i>Bobby E. Gunara, Freddy P. Zen, and Arianto</i>	
51.	Doppler Effect Through A Differentially Moving Medium	245
	<i>Arief Hermanto</i>	
52.	A Varian of Kolmogorovian Probability Emerging from Quantum Theory	249
	<i>M.F. Rosyid</i>	
53.	Borel Quantization on Non-connected Configuration Spaces	253
	<i>Romy Hanang Setya Budhi, M. Farchani Rosyid</i>	
54.	Physical Application of the Spherical Solution of the Ricci flow Equation in Four Dimensional Spacetime	257
	<i>Agus Suroso, Bobby E. Gunara, Freddy P. Zen</i>	
55.	Perturbative Spherical Symmetric Solutions of The Ricci Flow in Four Dimensions	261
	<i>Fiki T. Akbar and Bobby E. Gunara</i>	
56.	Gravitational Lensing of Gravitational Waves	267
	<i>Imamal Muttaqien, and Bobby E. Gunara</i>	

57.	Three-loop Contributions for $A_1^{(1)}$ Affine Toda Field Theory <i>Asep Y. Wardaya, Freddy P. Zen, Jusak S. Kosasih and Triyanta</i>	271
58.	The Role of Control Systems in Our Daily Life <i>Rohani Jahja Widodo</i>	275
59.	Automatization CO ₂ Lasers Grating Line on Photoacoustic Spectroscopy Systems <i>D. Lelono and M.A.J. Wasono</i>	279
60.	Design and Application of The Exponential Filter on Rotation Estimation Using The Angular Rate Sensor (Gyroscope) <i>Wahyudi, Adhi Susanto, Sasongko Pramono H, Wahyu Widada</i>	283
61.	The Statistics, Correlations and Spectra of Vehicle's Noise Signals for Adaptive Noise Cancelling <i>Sri Arttini Dwi Prasetyowati, Adhi Susanto, Thomas Sriwidodo, and Jazi Eko Istiyanto</i>	289
62.	Demagnetization Factor of a Fluxgate Sensor Using Double Pick-up Coils Configurations <i>Yulkifli, Mitra Djamal, Rahmondia N. S., Khairurrijal, Deddy Kurniadi, and P. Ripka</i>	295
63.	Development of Ion Flux Measurement System in Solution <i>Idam Arif, Presetyaningtyas Ekarini, Yustina Dea Dimyatine, and Daniel Kurnia</i>	301
64.	Prediction Results Analysis of Sony 2006 and Toshiba 2006 Share Data Using Adaplet Method (Wavelet based Adaptive Filter) <i>Agfianto Eko Putra, Jazi Eko Istiyanto</i>	305
65.	Low Cost C-V Meter Based on C8051F006 SoC for Characterizing Electronic Materials <i>Endah Rahmawati, Riska Ekawita, Mikrajuddin Abdullah, Khairurrijal</i>	311
66.	Electro-rotation Observation on Egg Cells of Gold Fish (Cyprinus Carpio) <i>Idam Arif and Mirwan</i>	315
67.	Study on Freshness of Fruit Juice Using Carbon Dioxide Laser Techniques <i>N.E.Ismail, M.S.Jaafar, F.Ariffin, A.L.Ahmad, and M.Yahaya Bermakai</i>	319
68.	The ¹³⁴ Cs Uptake Rate Coefficient (K_{12}) from Andosol Soil to Sweet Potatoes Used in Uptake Model <i>Octolia Togibasa Tambunan, Idam Arif, Poppy Intan Tjahaja, and Putu Sukmabuana</i>	323
69.	Radiostrontium Transfer from Sr-85 Contaminated Soil to Kangkung Plant <i>Putu Sukmabuana, Poppy Intan Tjahaja</i>	329
70.	Implementation of Ray Weighting Factor in Image Reconstruction Simulation using ART <i>R. Rajagukguk, and R.Widita</i>	335
71.	An approach to objective function for automatic selection of beam directions in CT image reconstruction <i>R. Widita, Y.Darma</i>	339

72.	A Numerical Simulation of Absorbed Dose Calculation for Cylindrical Interface in BNCT <i>S. Zasneda, R. Widita</i>	343
73.	A Simulation of Midline Dose Determination Using Portal Imaging <i>Vidya Ikawati and Rena Widita</i>	347
74.	The Development of Medical Imaging Software for Segmentation and Registration In NanoSPECT/CT <i>R. Widita, R. Kurniadi, F. Haryanto, Y. Darma, Y.S. Perkasa, S.S. Zasneda</i>	351
75.	Effect of Low Power Helium – Neon Laser Irradiation on Human Blood Parameters <i>Hend A. A. Houssein, M. S. Jaafar and Zalila Ali</i>	355
76.	Energy Response of Nd-doped Silica Fibre in the Diagnostic Energy Range <i>Rini Safitri, and A. Shukri</i>	359
77.	Study on Hemolysis in Whole-Blood Sample Due To Longer Storage by Visible Light Irradiation <i>M.Yahaya Bermakai, M.S Jaafar, A.L Ahmad, N.E Ismail, N.Zakariyah</i>	365
78.	Recognizing the Dominant Evoked Potentials Pattern in Human Visual Cortex by Primary Color Stimulation <i>Sra Harke Pratama, Suprijanto, Lulu Lusianti Fitri</i>	371
79.	Fatigue Analysis by Measuring Handgrip Endurance and Electromyography Signal at Finger Flexor and Extensor Muscles <i>Hesty Susanti, Sjaikhunnas El Muttaqien, Suprijanto, Tommy Apriantono, Farida I. Muchtadi</i>	375
80.	Thermal Therapy Planning For RF Ablation Of Hepatic Tumor Based On Numerical Solution Of Bio-Heat Equation <i>Husneni M, Suprijanto, Farida I Muchtadi</i>	381
81.	Study on Interactions of Continuous Low Power CO ₂ Laser on Teeth <i>A.L.Ahmad, M.S.Jaafar, M.Yahaya Bermakai, N.E.Ismail and N.Zakariyah</i>	387
82.	Revisit Bell's Experiment on Using Induction Balance for Detecting Bullet Inside of a Body <i>Johannes V.D. Wirjawan, Dean A. Zollman</i>	393
83.	Fuel Burp Up Calculation of Passive Compact Molten Salt Reactor (PCMSR) With on Line Fuel Reprocessing for Very Long Time Operation <i>Andang Widi Harto</i>	397
84.	Safety Design Limits of Main Components of The Proposed SAMOP System <i>Tegas Sutondo, Syarip, and Slamet Santoso</i>	403
85.	Experimental Measurements on CR-39 Response for Radon Gas and Estimating the Optimum Dimensions of Dosimeters for Detection of Radon <i>Asaad H. Ismail, and M.S. Jaafar</i>	407

86.	Breeding Analyzing of Plutonium-239 in Liquid Metal-Cooled Fast Breeder Reactor with Variation of Core Geometry and Volume	413
	<i>Deasy Arisa and Dian Fitriyani</i>	
87.	Radioactivity Levels Associated With the Low Specific Activity of Technologically Enhanced Radioactive Materials (TENORM) at Onshore Oil and Gas Integrated Facilities in Malaysia	419
	<i>Y.M.Amin, Anne Lawai and H.W.Nikr</i>	
88.	Neutron Activation Analysis Using Neutron Flux Parameters	423
	<i>N. Ibrahim, L. H. Fen and A.K. Wood</i>	
89.	Corrosion Study of Fe in Lead-Bismuth Eutectic: Self-Diffusion Calculation by Molecular Dynamics Methods	429
	<i>Artoto Arkundato, Zaki Suud, and Mikrajuddin Abdullah</i>	
90.	Study of High Temperature Engineering Test Reactor (HTTR) with MOX and Minor Actinides as a Fuel	433
	<i>Ardita F. Fauzia, Novitrian, and A. Waris</i>	
91.	Study on Thorium Utilization in PWR with Equilibrium Burnup Model	437
	<i>A. Waris, R. Kurniadi, S. Viridi and Z. Su'ud</i>	
92.	An FPGA-based Recursive Function	441
	<i>Jazi Eko Istiyanto</i>	
93.	A Fruit Classification Method Based on Shapes and Color Features	445
	<i>Agus Harjoko and Abdullah</i>	
94.	Immiscible Lattice Gas (ILG) with Long-Range Interaction (LRI) and its Parameters to Control Phase Separation Patterns	449
	<i>Tugiyo Aminoto, Siti Nurul Khotimah</i>	
95.	Simulation of Temperature Distribution In a Rectangular Cavity Using Finite Element Method	453
	<i>Christian Fredy Naa and Suprijadi</i>	
96.	A Comparison of Two Methods in Finding Ratio between Electric Field and Accelerating Potential in Thomson Tube Experiment	459
	<i>Ardita Fanisa, Agustina, and Sparisoma Viridi</i>	
97.	The Trajectories of an Electron under Non-uniform of Electric Field	463
	<i>Agustina, Ardita Fanisa, Sparisoma Viridi</i>	
98.	Industrial Production Scale of Wood Plastic Composite In Indonesia	467
	<i>Marga Utama, Samsyul Azis, Yusman, Peter Gwie</i>	

99. Study of Students Achievement using Web Based Free Fall Simulation and Influence of Students Learning Ability on Their Achievement 473
Eni Lailiyah, Amalia, and Sparisoma Viridi
100. Patner Gender Influence on Students Mark and Determination of Viscosity Coefficient of Fluid Using Javascript Interactive Virtual Experiment 477
Amalia, Eni Lailiyah, and Sparisoma Viridi

Porosity and Fracture Pattern of Coal as CBM Reservoir

*Usep Mohamad Ishaq*¹, *Satria Bijaksana*² *Bagus E.B. Nurhandoko*³
^{1,2,3} *Complex System Physics Research Division*
Faculty of Mathematics and Natural Sciences, Institut Teknologi Bandung
Jl. Ganesha No. 10 Bandung, Indonesia 40132
¹*Universitas Komputer Indonesia, Bandung*
Jl. Dipatiukur 114-116 Bandung
e-mail address: ishacovic@yahoo.com

Abstract

This paper discusses the results of an investigation carried out to study the microstructure of coal enhancing the understanding of the phenomena involved in release of methane and its movement in coalbeds. Scanning electron microscopy (SEM), thin slice analysis were used to obtain information about the rank and structure of coal and its macerals properties, porosity, surface properties, size and distribution of pores, and presence of microfractures and cleats. The samples collected from Sumatera Selatan coal field

Micrographs obtained clearly showed the highly porous nature of coal, and also showed that coal as a Coalbed Methane (CBM) reservoir have three types of porosity, they are: macroporosity, mesoporosity, and microporosity. Most of the pores, however, appeared to have a very small volume and large surface area, which explains the large quantities of methane that are retained in adsorbed form in coalbeds. On the surface of coal, a network of microfractures and cracks was seen, indicating that it is these fractures that are mainly responsible for gas flow. The results illustrate the use of physical models for simulation of gas flow in coalbeds, involving dual flow behavior. Our coal sample show that macropores size variater between 0,5 mm to 2mm, while mesopores variates between 0,0136 mm – 0,3060 mm. The effective porosity of our coal sample is very small 5,10% to 5,77% compared to conventional reservoir. Using Vitrinite Reflectance we have determined that our sample classified as sub-bituminous rank. Furthermore, the microstructure of coal explains some of the unusual gas flow characteristics of coal.

Keywords : *CBM, Coal Porosity, Microporosity, Mesoporosity*

determined using SEM (Scanning Electron Microscope).

I. Introduction

Storage mechanism of CBM in coal differ from conventional gas reservoirs, such as sandstone. Gas in the coal can be present as free gas within the macropores or as an adsorbed layer on the internal surfaces of the coal micropore. Instead of occupying void space as a free gas between sand and grain, the methane is held to the solid surface of the coal by adsorption in numerous micropores[1].

A small quantity of free gas is stored in cleats and open pores, and also dissolves in the water content in the coal. But most of the gas absorbed on the solid surface of the coal.

Study of fracture pattern and pore structures of the CBM reservoirs are very important study, because directly related to economics of CBM productions.

This paper will discuss the microstructure characteristic of the CBM reservoirs. Porosity determined using Digital Helium Porosity Meter. Natural fracture or cleats displayed using digital camera, mesoporosity presented using thin slice analysis, rank, maceral analysis and microporosity

II. Theory

Recent studies showed that much more gas volume can be retain by CBM reservoirs than conventional gas reservoirs, even if the porosity of the CBM reservoirs smaller then conventional gas reservoirs [1]. This facts indicating different storage machanism of gas in CBM reservoir.

CBM reservoirs has complex pores system, consisted three pore system: macroporosity, mesoporosity, and microporosity. Macroporosity is cleat network, a natural fracture system in coal. The size of cleats has many variation between 0,001 up to 20 mm [2]. Mesoporosity is small fracture in coal, has smaller size than cleats between 20-500Ao. Microporosisty appear in very small pore system, the size may less than 20o [3].

The study of microstructure, fracture pattern, porosity and permeability, maceral composition, and rank, are very important variabels to in estimate the quantity and volume of CBM stored in coal.

Natural fracture or cleats in CBM reservoirs is controlling the permeability of the reservoirs. Different from conventional gas reservoirs, the natural fracture of the coal is not directly related to the volume of the gas. Cleats is only responsible to gas flow from matrix to wellbore. Therefore, the permeability of a coal seam depends on properties of its cleats. Methane is predominantly stored in the micropores in an adsorbed state [4]. Many studies showed that organic constituents like macerals compositions is related to CBM abundant in coal. Vitrinite maceral have a greater methane adsorption capacity than other maceral [5]. The rank of the coal related to maceral type, and so also related to quantity of methane in coal. Generally increasing rank is relate to the increasing the quantity of the CBM in coal [6]. Therefore the studies and measurement to these properties should be performed, to estimate the prospect of the CBM reservoirs.

Several analysis was performed as follows:

- Maceral analysis
- Rank analysis
- SEM analysis
- Thin slice analysis
- Porosity measurement

III. Methods

Porosity measurement was performed using Digital Helium Porosity Meter. Boyle's principle is used in this equipment, where the product between pressure and volume is constant.



Figure 1. Digital Helium Porosity

Comparing pressure and volume between two chamber, wick is one of them plugged by core sample, the we can determine the helium gas volume in the coal pore.

Cleats in many case could be seen by naked eyes, so using digital camera, we can see two type of cleats: butt cleat and face cleats, as we can see in figure 2.



Figure 2 Coal sample showing Butt Cleats and Face Cleats

Micropores was observed using SEM (Scanning Electron Microscope) with magnification upto 40.000 times. Maceral analysis is important because the quality of coal is influence the quantity of CBM in reservoir.

IV. Results

The results we have from Digital porosity meter showing that porosity of the coal is very small 5,10% to 5,77% while conventional gas reservoir porosity is 15% to 25% conventional gas reservoir such as sandstone reservoir.

Table 1. CBM Reservoirs Porosity

Measure	Mass (gr)	Rho (gr/mm ³)	Porosity (%)
1	50.3	0.001275	5.10
2	60.8	0.001275	5.77

However, CBM reservoir differs from the conventional gas reservoirs, in that the volume of gas, which it can store, is far beyond its pore volume capacity. This is because the storage mechanism in CBM reservoir is differs from conventional gas reservoirs. In fact the gas stored in coal is mainly adsorbed onto the pores large internal surface. Due to the very small volume of an individual micropore, and the pore surface in coal can be very large. For some coals the internal surface may reach several hundreds m² per gram of solid, thus making available large amount of surface for adsorbing gas. This large surface is caused by grained structure if the coal as we can see using SEM. Another important facts in CBM reservoir, porosity system is devided into three

types. First, macropore called cleats, mesopores, and micropores.





Figure 3 Mesopores observed through digital microscope

Figure 3 show the existence of mesopores and micropores using digital microscope. The crack aperture is variates beetwen 0,0136 mm – 0,3060 mm.

Figure 4 show the existence if micropores. Micropores is developed by extremely large surface area solid grain. This figures show 10000, 20000, and 40000 magnification.




Figure 4(a) Coal using SEM 10000 x magnification




Figure 4(b) Coal using SEM 20000 x magnification




Figure 4(c) Coal using SEM 40000 x magnification

We also measure the quality of the coal using vitrinite reflectance and the results show that average reflectance is 0,42%. Using ASTM standard our sample classified as sub-bituminous rank. Macerals analysis show that our sample are dominated by vitrinite 86,2% to 90,8 %, wich are favorable for CBM.

V. Conclusion and Discussion

We have recognize three pore system in CBM reservoir: Macropores, mesopores, micropores. Our coal sample show that macropores size variate between 0,5 mm to 2 mm, while mesopores variates between 0,0136 mm – 0,3060 mm.

The effective porosity of our coal sample is very small 5,10% to 5,77% compared to conventional reservoir. Using Vitrinite Reflectance we have determined that our sample classified as sub-bituminous rank. Although sub-bituminous rank recognized as low rank, several study show that the potential of CBM is still high in low rank by biogenic process. (Beaton, Langenberg, Pana, 2006)

Maceral composition of our selected coal is dominated by vitrinite 86,2% to 90,8. Several study showed that CBM that maceral composition is influence the sorption capacity of the coal (Pophare, Mendhe, Varade, 2008). Higher vitrinite compositions indicating high sorption capacity of the coal.

Storage mechanism, pore system, pore arpture size, maceral compositions and rank of the coal, give us initial information for the CBM existence in the Sumatera Selatan coal.

References

1. Rogers, R.E. (1994). *Coalbed Methane: Principles and Practice*. PTR Prentice Hall, Englewood Cliffs, NJ 07632
2. Laubach, S.E., Marrett, R.A., Olson, J.E., Scott, A.R. Characteristics and Origins of Coal Cleats: A Review. *International Journal of Coal Geology* 35_1998.175–207
3. Tsao, Chijhji., Botto, Robert. ¹²⁹Xe NMR Investigation of Coal Micropores. American Chemical Society, July 30 1990
4. Van Bergen, F., Pagnier, H.J.M., van Tongeren, P.C.H. Peat, coal and coalbed methane. Royal Netherland Academy of Arts and Sciences, 2007: 265-282
5. Hackley, Paul C., Warwick, Peter D., Breland Jr, F. Clayton,. Organic petrology and coalbed gas content, Wilcox Group (Paleocene-Eocene), northern Louisiana. *International Journal of Coal Geology* 71 (2007) 54-71.
6. Beaton, Andrew. Langenberg, Willem. Pana, Christina. Coalbed methane resources and reservoir characteristics from the alberta plains, Canada. *International Journal of Coal Geology* 65 (2006) 93-113.
7. Pophare, Anil., Mendhe, Vinod., Varade. Evaluation of coal bed methane potential of coal of Sawang Colliery, Jharkhand, India. *J. Earth Syst. Sci.* 117, No. 2, April 2008, pp. 121–132
8. Beaton, Andrew., Langenberg, Wilem., Pana, Cristina. Coalbed methane resources and reservoir characteristics from the Alberta Plains, Canada. *International Journal of Coal Geology* 65 (2006) 93–113