

KOMPUTER APLIKASI IT II (Information Technology)

2 SKS | Semester 1

Pertemuan 6

Rauf Fauzan

rauffauzan@email.unikom.ac.id

085720171914



facebook

twitter

myspace

WIKIPEDIA





Outline

- Break
- Continue
- Function





BREAK

a syntax that provides the ability to stop at a function in a program.

File Name : Excercise-5html

```
<html>
<head><title>break, continue and function </title></head>
<body>
<script type="text/javascript" type="text/javascript">
var i=0;
for (i=0;i<=10;i++)
{
if (i==3)
{
break;
}
document.write("The number is " + i);
document.write("<br />");
}
</script>
</html>
```





CONTINUE

a syntax that provides the ability to continue the next process in a function.

File Name : Excercise-5html

```
<html>
<head><title>break, continue and function </title></head>
<body>
<script type="text/javascript" type="text/javascript">
var i=0;
for (i=0;i<=10;i++)
{
if (i==3)
{
    continue;
}
document.write("The number is " + i);
document.write("<br />");
}
</script>
</html>
```





FUNCTION

A block or set of codes that have a specific task, can be determined by a set of parameters, this function usually placed in area <head> , and block <script> and for calling function in the area <body> followed block<script>.





FUNCTION[non parameter]

```
<html>
<head>
<script language="javascript" type="text/javascript">
function exercise()
{
document.write("My Name : Joni" );
}
</script>
</head>
```

```
<body>
<script language="javascript" type="text/javascript">
excercise();
</script>
</body>
</html>
```





FUNCTION[with parameter]

In general, the writing function is as follows:

```
name function (parameter1, parameter2)
{
    Function block;
}
```

Information :

Function **name** is used as the identifier of a function that will be used to call the function in question

Parameters used to provide input on the function block

Function block is a collection of statements that are used to design an assignment of functions.





FUNCTION[with parameter]

```
<html>
<head>
<script type="text/javascript">
function result(a,b,c)
{
    var x=a+b+c;
    document.write("result at the addition =" +x);
}
</script>
</head>
```

```
<body>
<script language="javascript">
result(3,4,5);
</script>
</body>
</html>
```





TASK

Use function(parameter)

Make the simple program with output as follows :

OUTPUT 1 (GANJIL) :

```
1 3 5 7 9 11 13 15 17 19 21 23 25 27 29 31 33 35 37 39 41 43 45 47 49 51 53  
55 57 59 61 63 65 67 69 71 73 75 77 79 81 83 85 87 89 91 93 95 97 99
```

OUTPUT 2 (GENAP) :

```
0 2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50 52  
54 56 58 60 62 64 66 68 70 72 74 76 78 80 82 84 86 88 90 92 94 96 98
```



~ TERIMA KASIH ~