



Journal of Engineering Science and Technology (JESTEC)

- [Home](#)
- [Editorial Board](#)
- [Submit a paper](#)
- [Indexing and Awards](#)
- [Reviewers](#)
- [Articles in Press](#)
- [Publication Ethics](#)
- [Archives](#)




JESTEC
Journal of Engineering
Science and Technology



INDEXED IN
EMERGING SOURCES CITATION
(Web of Science)
CLARIVATE ANALYTICS

WEB OF SCIENCE™



Journal of Engineering
Science and Technology

Q3
Engineering
(miscellaneous)
best quartile

SJR 2022
0.23

powered by scimaggr.com

- **Editor-in-Chief**
Assoc Prof Dr Abdulkareem Sh. Mahdi Al-Obai
Taylor's University, Malaysia

- [Editorial Board](#)

Journal of Engineering Science and Technology (JESTEC) indexed by [SCOPUS](#) since 2010.

Journal of Engineering Science and Technology has been selected for coverage in [Clarivate Analytics products and services](#).

Beginning with 2016, this publication will be indexed abstracted in:

[Emerging Sources Citation Index \(ESCI\)](#)

ISSN: 1823-4690

Aims and Scope

Aims & Scope

JESTEC (Journal of Engineering Science and Technology) is a peer-reviewed journal that aims to publish and disseminate original research articles latest developments in all fields of engineering science and technology. The journal publishes original papers in English, which contribute to understand engineering science and improving engineering technology and education. The articles may be theoretical (including computational), experimental both. The contribution should be unpublished before and not under consideration for publication elsewhere.

JESTEC maintains a standard double-blind peer-review process. The double-blind process means that the author and the reviewer's identity not known to each other.

JESTEC is an Open Access journal and does not charge readers or their institutions to access the journal articles. Open access supports rights to read, download, copy, distribute, print, search, or link to these articles' full texts, provided they are properly acknowledged and cited.

JESTEC publishes six issues per year.

The publication fees in JESTEC include submission, reviewing, editing, publishing, and uploading the accepted article to the JESTEC website. All these services, JESTEC charges USD375 or MYR1550 per paper (inclusive 6% SST). The number of pages per paper should be a minimum of 15-18 pages and a maximum of 15-18 pages.

Subscriptions and enquiries

Contact the [Executive Editor](#)

- [Home](#)
- [Editorial Board](#)
- [Submit a paper](#)
- [Indexing and Awards](#)
- [Reviewers](#)
- [Articles in Press](#)
- [Publication Ethics](#)
- [Archives](#)



Copyright ©2006-2023 by: School of Engineering, Taylor's University



Editorial Board

Editor-In-Chief

- **Abdulkareem Shafiq Mahdi Al-Obaidi**, Ph.D.
Associate Professor, School of Computer Science and Engineering
Faculty of Innovation and Technology
Taylor's University
Taylor's Lakeside Campus
No. 1 Jalan Taylor's, 47500 Subang Jaya
Selangor DE
Malaysia

Editors

- **G. Davies**, Ph.D.
Professor, Dean, Faculty School of Engineering
The University of New South Wales
UNSW Sydney
NSW 2052
Australia
- **Rodney Chaplin**, Ph.D.
Associate, Professor, Associate Dean (International)
Faculty of Engineering
The University of New South Wales
UNSW Sydney
NSW 2052
Australia
- **Andrew Ooi**, Ph.D.
Associate, Professor, Assistant Dean (International)
School of Engineering
The University of Melbourne
Victoria 3010
Australia
- **David WL Hukins**, Ph.D.
B.Sc., Ph.D. (London), D.Sc. (Manchester), C.Phys., F.Inst.P., F.I.P.E.M., F.R.S.E.
Professor of Bio-medical Engineering
Head of Mechanical and Manufacturing Engineering
School of Engineering
Mechanical Engineering
The University of Birmingham
Edgbaston
Birmingham
B15 2TT
United Kingdom
- **Takayuki Saito**, Ph.D.
Professor, Shizuoka University
Graduate School of Science and Engineering
3-5-1 Johoku
Hamamatsu
Shizuoka 432-8561
Japan
- **S. B. Chin**, Ph.D.
Professor, The University of Sheffield
Mechanical Engineering Department
Mappin Street, Sheffield
S1 3JD,
United Kingdom
- **Xiaoyu Luo**, Ph.D.
Professor, Department of Mathematics
University of Glasgow
Glasgow G12 8QW
- **Stephen B M Beck**, Ph.D.
Professor in Mechanical Engineering

Faculty Director of Learning and Teaching – Engineering
Department of Mechanical Engineering
The University of Sheffield
Mappin Street
Sheffield
S1 3JD
United Kingdom

▪ **Xiao (Yun) Xu**, Ph.D.

Professor of Biofluid Mechanics
Department of Chemical Engineering
Imperial College
London
United Kingdom

▪ **Seeram Ramakrishna**, Ph.D.

Professor, Dean, Faculty of Engineering
Dean's Office, Block EA, #07-26
9 Engineering Drive 1,
National University of Singapore,
Singapore 117576

▪ **Ramesh Singh Kuldip Singh**, Ph.D.

Senior Professor of Mechanical and Materials Engineering
Faculty of Engineering
University of Malaya, 50603 Kuala Lumpur, Malaysia
Universiti Teknologi Brunei, BE1410 Gadong, Brunei Darussalam

▪ **Gary Hawley**, Ph.D.

Professor of Automotive Engineering
Dean and Medlock Chair of Engineering,
Faculty of Engineering and Design
University of Bath,
Claverton Down, Bath BA2 7AY
United Kingdom

▪ **Yousif Abdall Abakr**, Ph.D.

School of Mechanical Engineering
The University of Nottingham, Malaysia Campus
Jalan Broga, 43500 Semenyih, Selangor
Malaysia

▪ **R. Rajesh @ Nithyanandam**, Ph.D, PGChETL, MICheM

Associate Professor, Department of Chemical Engineering,
Sri Venkateswara College of Engineering,
Sriperubudur - Chennai 602 117
India

▪ **Chong Perk Lin**, Ph.D, PgCLTHE, FHEA, CEng, MIMechE

Senior Lecturer of Mechanical Engineering
Programme Leader of BEng Tech (Hons) Mechanical Engineering
School of Computing, Engineering and Digital Technologies
Teesside University, Middlesbrough, Tees Valley. TS1 3BX.
United Kingdom.

Archive

JESTEC
Journal of Engineering
Science and Technology



Volume 16, Issue 1, February 2021

Page 0001 - 0887

[Contrast enhancement using adaptive threshold based dynamic range adjustment in LUV colour space](#)

P. M. Pardhi, S. D. Thepade

1 - 24

[Economic operation planning of combined heat and power smart distribution system](#)

M. K. Al-Saadi

25 - 43

[The strategic role of smart city \(Bandung care\) in the development of Bandung city](#)

D. S. Soegoto, Y. Pangestika

44 - 51

[X-ray transmission-rate-measuring by using low-cost laboratory counter](#)

A. T. Zengin

52 - 64

[Robust energy efficient control for wireless sensor networks via unity sliding mode](#)

S. M. Raafat, A. M. Mahmood

65 - 84

[Analysis of distributed deep-learning based digital learning media using thin client devices for inclusion vocational school students](#)

A. Andriana, A. Ana, H. Puspita, I. Y. Wulandari

85 - 91

[Grid-independent PV-wind-diesel generator hybrid renewable energy system for a medium population: A case study](#)

Z. W. J. Al-Shammari, M. M. Azizan, A. S. F. Rahman

92 - 106

[Characterization of the earth dam embankment using shallow seismic data: A case study at Klong Sadao dam, southern Thailand](#)

S. Yordkayhun, K. Wattanasen

107 - 121

[Water quality modelling and management of Diyala river and its impact on Tigris River](#)

B. Sh. Abed, M. H. Daham, A. H. Ismail

122 - 135

[Performance of green mortar made from locally available waste tiles and silica fume](#)

M. K. Obaid, M. S. Nasr, I. M. Ali, A. A. Shubbar, K. S. Hashim

136 - 151

[Using monkey optimization algorithm to detect neris botnet](#)

I. A. Saleh, M. A. Kamal, L. M. Ibrahim

152 - 164

[Vetiver waste fertilizer as a growth catalyst on mung bean](#)

E. S. Soegoto, R. Jumansyah, S. Luckyardi

165 - 175

[A review of the transformation techniques in the OFDM system](#)

M. H. M. Nerma

176 - 193

[Real-time moving objects detection and tracking using deep-stream technology](#)

N. H. Abdulghafoor, H. N. Abdullah

194 - 208

[Chemotherapy for cervical cancer patients: Is it a "Nightmare"?](#)

Suwendar, A. Fudholi, T. M. Andayani, H. S. Sastramihardja

209 - 223

[Optimization of adsorption process parameters of Ni \(II\) in a bed packed-column with agro-industrial residue of yam \(dioscorea rotundata\)](#)

C. Tejada-Tovar, A. Villabona-Ortiz, M. Jiménez, A. Herrera-Barros, R. Ortega-Toro
224 - 235

[Noma multiuser detection with MIMO for maximizing the system capacity and eliminate interference](#)

A. V. Kulkarni, S. N. Motade
236 - 250

[Learning antenna simulation to enhance technical competency of avionics students](#)

I. Y. Wulandari, E. Ema, A. Ana, N. Indroasyoko, H. Puspita, Andriana, R. Hidayat
251 - 258

[Preparation of copper aluminum-biochar composite as adsorbent of malachite green in aqueous solution](#)

N. R. Palapa, T. Taher, A. F. Badri, Suheryanto, R. Mohadi, A. Rachmat, A. Lesbani
259 - 274

[Expressive shares visual secret sharing using discrete cosine transform for improved extracted secret quality](#)

R. Chaturvedi, S. D. Thepade, S. Ahirrao
275 - 290

[Elicitation of stage discharge relationship for multi-gate controlled barrage](#)

M. S. Shamkhi, N. M. Neama
291 - 304

[Transfer function modeling and optimization speed response of BLDC Motor E-bike using intelligent controller](#)

I. Anshory, I. Robandi, Jamaaluddin, A. Fudholi, Wirawan
305 - 324

[Hybridization and modification of the PSO algorithm and its use in personal recognition by OPG X-ray](#)

D. S. Hammadi, A. N. Younis, F. M. Ramo
325 - 338

[Data visualization for content marketing domain in social media](#)

D. Dharmayanti, A. M. Bachtiar, F. N. Fakhrol
339 - 349

[The use of ultraviolet \(UV\) spectroscopy and chemometrics to quantify the percentages of adulteration in Kalosi ground roasted specialty coffee](#)

D. Suhandy, M. Yulia
350 - 364

[Low voltage ride through capability enhancement using series connected fact devices in wind energy conversion system](#)

B. P. Ganthia, S. K. Barik, B. Nayak
365 - 384

[Projection simulation media in technical drawing for vocational students](#)

D. Rohendi, N. Utami, A. Ana, A. Sukandar
385 - 397

[Static polygon formation in leader-follower robotic system by utilizing RP LIDAR sensor in unknown environment](#)

B. A. Issa, A. T. Rashid
398 - 414

[Effect of structural defects and impurities on electrical characteristics of photovoltaic cells: Multiscale modelling](#)

O. A. Al-Ani, A. M. A. Sabaawi, E. H. Sadiq, M. F. Mosleh
415 - 426

[Improvement of cassiterite levels with variation of feed roll and separation roll speed in high tension roll separator \(HTRS\)](#)

L. Pulungan, D. N. Usman, S. Widayati, S. Maulida
427 - 437

[Assessment of contamination vulnerability of groundwater using susceptibility index method: Semarang city as case study](#)

T. T. Putranto, A. A. Marjuanto
438 - 454

[Street dust contamination by heavy metals in Babylon governorate, Iraq](#)

O. J. Al-Sareji, R. A. Grmasha, J. M. Salman, K. S. Hashim
455 - 469

[The use of psychrometric analysis kit for learning air conditioning process in vocational education](#)

E. T. Berman, I. Hamidah, B. Mulyanti, A. Setiawan
470 - 481

[Feature fusion approach for image retrieval with ordered color means based description of key points extracted using local detectors](#)

J. H. Dewan, S. D. Thepade
482 - 509

[Characterization of tyre rubber ash and crumb as fine aggregate resource](#)

S. Shahidan, S. A. Mangi, M. S. Senin, S. S. M. Zuki, M. H. W. Ibrahim
510 - 526

[Effects of particle size and composition of cassava peels and rice husk on the briquette performance](#)

S. Anggraeni, S. N. Hoffah, A. B. D. Nandiyanto, M. R. Bilad

[Analytical solution of the problem of heat exchange of buried pipeline with atmosphere in the conditions of snow cover](#)

E. V. Markov, S. A. Pulnikov, Y. S. Sysoev, D. V. Rachkov, E. P. Bragar

543 - 555

[Studying the effect of increasing capacity using comp technology in LTE-A networks](#)

A. N. Hammodat, S. A. Ayoub

556 - 570

[3D biomechanical analysis of swimming start movements using a portable smart platform with android pie](#)

A. Rusdiana, B. Mulyana, D. R. Nurjaya, Badruzaman, I. Imanudin, E. Fauziah, A. M. Syahid

571 - 585

[An Experimental identification of shear wave velocity of Bangkok clay using bender element](#)

S. Pethrung, P. Pairojn, S. Teachavorasinskun

586 - 600

[Teaching the corrosion of iron particles in saline water to students with special needs](#)

R. Maryanti, A. Hufad, A. B. D. Nandiyanto, S. Tukimin

601 - 611

[Incineration alternative for municipal solid waste disposal of Najaf city, Iraq](#)

H M. M. Al-Khateeb

612 - 620

[Hybrid adjustment delay and superframe duration scheme to improve performance IEEE 802.15.4 networks](#)

E. Yundra, U. T. Kartini, I. W. Susila

621 - 634

[Students' perception of online learning and institution's engagement during the Covid-19 pandemic: A survey study of Taylor's design, architecture, and engineering students](#)

P. C. L. Koh, S. K. Wong

635 - 651

[A smartphone indoor localization based on affinity propagation clustering and Kullback-Leibler multivariate Gaussian](#)

O. A. Abdullah

652 - 665

[Digital literacy skills of vocational school teachers](#)

S. Saripudin, I. B. Budiyanoto, R. Listiana, A. Ana

666 - 680

[Adaptive cruise control of a simscape driveline vehicle model using PID controller](#)

A. Mahmood, M. Almageed, M. N. Noaman, Y. H. S. Alnema

681 - 695

[Low sulphidation Au-Ag epithermal associated minerals using T² hotelling's method](#)

D. N. Usman, L. Pulungan, S. Widayati, F. Hirawan, N. Sulaksana, I. Haryanto, H. Nuryahya

696 - 710

[Deep-intrusion detection system with enhanced UNSW-NB15 dataset based on deep learning techniques](#)

A. M. Aleesa, M. Younis, A. A. Mohammed, N. M. Sahar

711 - 727

[E-monitoring the vulnerability of malnutrition of children using the TOPSIS method](#)

S. Nurhayati, R. Lubis

728 - 736

[Compare arithmetic coding to the wavelet approaches for medical image compression](#)

N. H. Salman

737 - 749

[Finite element analysis of two-way hollow high strength self-compacting fiber reinforced concrete slab under the effects of uniform repeated load \(using two-way piping system\)](#)

W. A. Tameemi, N. A. Alwash

750 - 761

[Experimental investigation on an elevated basin solar still with integrated internal reflectors and inclined fins](#)

W. H. Alawee, H. A. Dhahad, I. S. Ahmed, T. A. Mohammad

762 - 777

[Design and development of animation media for isomorphous binary phase diagram of engineering material courses](#)

M. Komaro, Ariyano, A. Suherman, A. Ana, R. Pangestu

778 - 791

[Effect of curing time on compressive strength of agrostone building material with water hyacinth, bagasse and grass bio-fillers – a comparative study](#)

Y. M. Degu

792 - 806

[Design and implementation of electronic examination device for improving the blind students' comfort](#)

H. Hidayat, N. S. Hasibuan, M. F. Wicaksono

807 - 815

[Palmprint recognition system based on proposed features extraction and \(c5.0\) decision tree, k-nearest neighbor \(KNN\) classification approaches](#)

M. S. Kadhm, H. Ayad, M. J. Mohammed
816 - 831

[Prediction of the maximum throat width due to contraction in rectangular channels under critical flow conditions using computational fluid dynamics](#)

F. A. Alshitali, L. A. Alasadi, A. A. W. Alkraid, M. A. Aljumaili
832 - 841

[An empirical numerical relation between evaporation rate and flash point of common industrial liquid materials](#)

J. F. Mata-Segreda
842 - 850

[E-Rubric to measure employability skills](#)

S. Subekti, A. Ana, M. Muktiarni, V. Dwiyantri
851 - 860

[Pneumonia detection using CNN through chest X-ray](#)

H. GM, M. K. Gourisaria, S. S. Rautaray, M. Pandey
861 - 876

[Pelesir: Digital platform with a combination of frameworks to introduce tourism in southern of West Java, Indonesia](#)

G. Undang, A. M. Tanjung, T. Maskun
877 - 887

DATA VISUALIZATION FOR CONTENT MARKETING DOMAIN IN SOCIAL MEDIA

DIAN DHARMAYANTI*, ADAM MUKHARIL BACHTIAR,
FIRMAN NIZAMMUDIN FAKHRUL

Informatics Engineering, Faculty of Engineering and Computer Science,
Universitas Komputer, Bandung, Jawa Barat, Indonesia

*Corresponding Author: dian.dharmayanti@email.unikom.ac.id

Abstract

The purpose of this research is to determine the proper data visualization on the domain of content marketing in social media. Based on interviews with marketers, they need a lot of time to read information from social media data to create content marketing strategy. It occurs due to inappropriate forms of data visualization, so that the data must be analysed again to get the desired information. To overcome this problem, further analysis is needed to know what kind of data visualization is suitable in the domain of content marketing on social media. The research method consisted of nine steps and used techniques such as empathy map, statistics, data mining, data visualization technique, acceptance testing, and usability testing to generate proper data visualization. To know if the data visualization is correct, acceptance testing was carried out on data visualization and usability testing on the prototype. Acceptance testing results indicated that 100% of the designed visualization forms are accepted. In addition, the results of usability testing on the prototype showed that effectiveness and efficiency reach 100%. From these results, it was concluded that visualization of data in the domain of content marketing on social media is made correctly.

Keywords: Content marketing, Data mining, Data visualization, Statistics, Social media.

1. Introduction

Content marketing is now widely used by marketers to attract customers. It is a marketing process to create and distribute content that aims to give appeal to the intended target audience [1]. The crucial thing in content marketing is the content marketing strategy. However, 62% of marketers do not have a solid strategy [2]. Several well-known brands use a data-driven approach to create a solid strategy. One source of data that can be used to create a content marketing strategy is social media. Social media produce a very large amount of data. The huge data can be a tremendous opportunity for marketers to improve marketing content strategies, such as understanding the target audience and content discovery [3].

Based on this phenomenon, an interview was conducted with one of the marketers. The problem that arises is that marketers need a lot of time to read information from the required social media data for content marketing, such as target audience segmentation. The main difficulty factor is because social media used by marketers provides an inappropriate form of data visualization. Therefore, the data must be reanalysed to get the desired information. The use of several techniques such as personas, statistics, data mining, and data visualization techniques were used to produce accurate data visualizations. To find out that the data visualization is correct, acceptance testing is carried out on the data visualization and usability testing on the prototype.

An effective way to present detailed data into information that is easily accepted is through the process of abstraction into visual information [4]. As explained earlier, marketers need a significant amount of time to read information from social media data relating to content marketing strategies. Therefore, further analysis is needed to determine what kind of data visualization is suitable on the domain of content marketing in social media. The resulting knowledge is used to create data visualizations right on the domain of content marketing in social media for marketers. The purpose of this research is to produce appropriate data visualization in the content marketing domain on social media for marketers.

2. Method

The research methodology was inspired by the book "Visualizing Data" which consists of seven steps namely acquire, parse, filter, mine, represent, refine, and interact [4]. The methodology adapted to the needs of this research is shown in Fig. 1.




Fig. 1. Research methodology.

3. Results and Discussion

All stages in the research methodology are explained in more detail in this section. The explanation consists of input, process, and output for each stage.

3.1. User analysis

A good data visualization is well supported by identifying the users who read the visualization itself [4]. To identify the user, the technique used was interview. In this research, two marketers were interviewed. The interview is divided into three sections namely opener question, daily task, and use of content marketing tools section. The example question of each section is shown in Table 1.

Table 1. Interview section.

Section	Sample Question
Starter question	What is your role in the content marketing team?
Daily task question	What activities do you do every day associated with content marketing?
Use of content marketing tools question	What difficulty do you face when using content marketing tools?

The result of the interview is qualitative data. In this research, the empathy map is used as a tool to illustrate the interview result which is shown in Fig. 2. The result shows that the user has two pain points namely spending too much time to get and analyse the information about the target audience as well as finding a reason why the published content is not going well. Then, this empathy map is used as an archetype user to analyse, design, and test the data visualization in this research.




Fig. 2. Empathy map.

3.2. Information needs analysis

Stages in analysing information need to be implemented to determine what information is needed by marketers in the content marketing domain in social media [5]. Empathy map from the previous stage is used to determine the information needs. Furthermore, the pain and gain points outlined the information needs. The sample of information needs is shown in Table 2.

Table 2. Information needs.

Pain	Gain	Information Needs
Spending too much time to get and analyse the information of the target audience	Getting relevant information about the target audience quickly	How to know a segment interest of target audiences?
Finding a reason why the published content is not going well	Knowing the performance of published content	How to know the sentiment score from the post?

Based on the results of pain and gain analysis sections from the empathy map, nine information needs are generated. These information needs are used as a reference for visualizing the data on the domain of content marketing in social media.

3.3. Data source analysis

Data source analysis was conducted to analyse the characteristics of the data used [6]. The data source used is from Twitter. The data were obtained through a RESTful API provided by Twitter. Twitter data can be accessed through a specific endpoint [7]. The complete list of Twitter API endpoint can be accessed at <https://developer.twitter.com/en/docs/api-reference-index>. Example endpoint of Twitter API is shown in Table 3.

Table 3. Example of Twitter API.

Method	Endpoint Path	Output	URL Documentation
GET	users/show	User Object	https://developer.twitter.com/en/docs/accounts-and-users/follow-search-get-users/api-reference/get-users-show

Twitter API can be accessed through endpoints based on its features. The data obtained shaped as JSON (JavaScript Object Notation). It contains Twitter data objects, where the data objects are divided into several types, namely tweet objects, user objects, entities object, and geo objects.

3.4. Parse data

Parse data stage is carried out to make the data easier to be processed [7]. In this stage, text pre-processing and format conversion of data into a document-based database are done.

3.4.1. Text pre-processing

Text pre-processing stage is carried out because tweets data objects contain text is not structured. Data from a more structured pre-processing facilitates data mining stage [8]. The steps are shown in Fig. 3.




Fig. 3. Text pre-processing steps.

The sample result for a tweet that being pre-processed is shown in Table 4.

Table 4. Sample result of text pre-processing.

Input	Output
Pagi yg menyenangkan. Cari bubur mantap utk sarapan. https://t.co	[pagi, senang, cari, bubur, mantap, sarapan]

3.4.2. Document and data structure formation

Document-based database offers a good performance and scalability [9]. To make it easier to process data in the next stage, four types of documents were formed. Documents that formed are user documents, followers’ document, and mention document. Endpoint used and output objects of the document formed is shown in Table 5.

This stage produces three documents. The documents are user documents, followers document, and mentions document. The documents were used as a data source for the visualization.

3.5. Data mapping analysis

Data mapping stage was conducted to choose, and map data based on the information needs [9]. Mapping data to the sample information is shown in Table 6.

3.6. Knowledge extraction analysis

The data that have been obtained and mapped are then performed statistical calculations or data mining methods to extract useful information. Data mining technique is used because it can be used to analyse the data and summarize it into a useful information [9]. This stage also determines whether the information needs of an exploratory analysis to understand the context of the information needs. Therefore, it can be concluded if the information needs require knowledge extraction method. The knowledge extraction method mapping is also depended on

the characteristic of the data [10]. The knowledge extraction method mapping to sample information needs is shown in Table 7.

Table 5. Document formation.

Method	Endpoint	Output
User Document	followers/list users/show	{ " _id ":String, " user_profile ... }, "user_tweets ...] }
Followers Document	followers/list users/show statuses/user_timeline	{ " _id ":String, " following ... }, "follower_profile ... }, "follower_tweets ...], }
Mention Document	users/show statuses/mention_timeline	{ " _id ":String, " user_profile ... }, "user_mentions ...] }

Table 6. Mapping data to information needs.

Gain	Information Needs	Document Used
Getting relevant information on the target audience quickly	How to know the interest of a segment of the target audience?	User document, Followers document
Knowing the performance of published content	How to know the sentiment score from the post?	User document, Mention document

Table 7. Mapping knowledge extraction method.

Gain	Information Needs	Exploration Type	Method
Getting relevant information on the target audience quickly	Information to determine the interests of the target audience segment	Exploratory	Classification, Statistics (distribution frequency and mode)
Knowing the performance of published content	Information to find out the sentiment score of the post	Exploratory	Classification, Statistics (distribution frequency and mode)

3.7. Design visualization analysis

Design visualization analysis includes four steps that were inspired in the “storytelling with data” book. The steps are understanding the context, choosing the appropriate form of visualization, eliminating clutter, focusing attention, and testing the acceptance [11]. In this stage, the information needs used a sample, which is “How to know the interest of a segment of the target audience?”.

3.7.1. Understanding context

Understanding the context of information needs is done by describing the context of who needs the information, what information will be delivered, and how the information is delivered. The example of context description is shown in Table 8.

Table 8. Understanding context.

Who	What	How
A content marketer	Knowing the interest of a segment of the target audience	Displays a comparison of the interests list of a target audience segment

3.7.2. Choosing appropriate type of visualization

Choosing an appropriate type of visualization is done by analysing how to understand the context stage. The example of choosing the appropriate type of visualization is shown in Table 9.

Table 9. Choosing appropriate type of visualization.

How	Visualization Type	Why
Displays a comparison of the interests list of a target audience segment	Horizontal bar chart	Compare several categories

3.7.3. Eliminating clutter

Data visualization is in accordance with principles that are not contain clutter. The visualization sketch should be made (See Fig. 4). The sketch is analysed and should not contain clutter.




Fig. 4. Sketch of visualization.

The example of clutter analysis is shown in Table 10.

Table 10. Clutter analysis.

Principle	Explanation	Checklist
Alignment	Alignment used is left-aligned because reading information can be easier	✓
White space	White space is only used as a margin between components, so they do not overlap	✓
Closure	There is no unnecessary border on data visualization	✓
Continuity	Remove the y-axis border because the bar always starts from the same point so there is no interference between the label and the bar	✓

3.7.4. Focusing attention

Focusing attention was made to focus the user on the information. It is important to the user. The example of focusing attention analysis is shown in Table 11.

Table 11. Focusing attention.

How	Focused Information	Preattentive Attributes
Displays a comparison of the interests list of a target audience segment	Most dominant interest	Colour

The result of visualization after focusing the attention is shown in Fig. 5.




Fig. 5. Visualization that has been focused.

3.7.5. Acceptance testing

Testing is done by acceptance testing. The result of acceptance testing is shown in Table 12.

Table 12. Acceptance testing.

Actual Information	Obtained Information	Comment	Result
Comparison of the interests list of a target audience segment	Comparison of the interests list of a target audience segment	No comment	Accepted

A good data visualization can give the user a right information [12, 13]. Therefore, the acceptance criteria of this testing are the correct information obtained with no additional comment. The conclusion from acceptance testing is that the form of visualization is appropriate.

3.8. Prototype implementation

Data visualization was made in prototype form. Sequence information on the prototype is based on the card sorting results. It was grouping by the empathy maps pain and gain [12]. The prototype is shown in Figs. 6 and 7.




Fig. 6. Prototype of first group.




Fig. 7. Prototype of second group.

3.9. Prototype testing

Tests on a prototype was using usability testing techniques [13]. Scenario testing is divided based on the gain in the empathy map. There are two scenarios given to the user. The effectiveness and efficiency level are 100%, respectively.

4. Conclusion

Based on this research, the data visualization can increase the efficiency and effectiveness level of the content marketing research on social media. For the next research, there are a lot of data in social media that can be explored, and the data source are various.

References

1. Chan, A.; and Astari, D. (2017). The analysis of content marketing in online fashion shops in Indonesia. *Review of Integrative Business and Economics Research*, 6(2), 225.
2. Järvinen, J.; and Taiminen, H. (2016). Harnessing marketing automation for B2B content marketing. *Industrial Marketing Management*, 54, 164-175.
3. Lieb, R. and Szymanski, J. (2017). *Content-the atomic particle of marketing: the definitive guide to content marketing strategy*. London: Kogan Page Publishers.
4. Baltes, L.P. (2015). Content marketing-the fundamental tool of digital marketing. *Bulletin of the Transilvania University of Brasov, Economic Sciences, Series V*, 8(2), 111-118.
5. Kharb, L. (2017). Exploration of social networks with visualization tools. *American Journal of Engineering Research (AJER)*, 6(3), 90-93.
6. Hansen, D.L.; Shneiderman, B.; and Smith, M.A. (2011). *Analyzing social media networks with NodeXL: Insights from a connected world*. Burlington: Morgan Kaufmann.
7. Kandogan, E. (2012). Just-in-time annotation of clusters, outliers, and trends in point-based data visualizations. In *2012 IEEE Conference on Visual Analytics Science and Technology (VAST)*. Seattle, WA, 73-82.
8. Pippal, S.; Batra, L.; Krishna, A.; Gupta, H.; and Arora, K. (2014). Data mining in social networking sites: a social media mining approach to generate effective business strategies. *International Journal of Innovations & Advancement in Computer Science*, 3(2), 22-27.
9. Nayak, A.; Poriya, A.; and Poojary, D. (2013). Type of NOSQL databases and its comparison with relational databases. *International Journal of Applied Information Systems*, 5(4), 16-19.
10. Bachtiar, A.M.; and Dharmayanti, D. (2018). Data visualization at trading sector using government's open data. *International Journal of Pure and Applied Mathematics*, 118(20), 523-530.
11. Jaeschke, G.; Leissler, M.; and Hemmje, M. (2005). Modeling interactive, 3-dimensional information visualizations supporting information seeking behaviors. In: *Tergan, S.O. and Keller T. (eds) Knowledge and information visualization. Lecture Notes in Computer Science*, 3426, 119-135.
12. Diamond, M.; and Mattia, A. (2017). Data visualization: an exploratory study into the software tools used by businesses. *Journal of Instructional Pedagogies*, 18, 1-7.
13. Mifsud, J. (2015). Usability metrics—A guide to quantify the usability of any system. Usability Geek. Retrieved November 16, 2020, from <https://usabilitygeek.com/usability-metrics-a-guide-to-quantify-system-usability/>.