## **Tahap 1 Pengiriman Abstrak**

## IMPLEMETASI METODE FUNCTION POINT UNTUK MENGUKUR KOMPLEKSITAS PROYEK PERANGKAT LUNAK

Sufa'atin<sup>1</sup>, Tati Harihayati<sup>2</sup>, Utami Dewi Widianti<sup>3</sup>

<sup>1,2,3</sup>Teknik Informatika – Universitas Komputer Indonesia Jl. Dipatiukur 112-114 Bandung E-mail : <u>sufaatin@email.unikom.ac.id<sup>1</sup></u>, <u>tati.harihayati@email.unikom.ac.id<sup>2</sup></u>, utami.dewi.widianti@email.unikom.ac.id<sup>3</sup>

## ABSTRACT

Salah satu masalah yang dihadapi dalam pengerjaan proyek perangkat lunak adalah proyek yang dikerjakan mengalami kekurangan sumber daya manusia yang mengerjakan proyek yang disebabkan kesalahan dalam mengestimasi kompleksitas proyek yang akan dikerjakan dan berdampak pada biaya proyek yang dikeluarkan. Biaya proyek yang dikeluarkan dapat bertambah seiring dengan kompleksitas pekerjaan yang dikerjakan sehingga perusahaan dapat mengalami kerugian atau perusahaan tidak dapat menyelesaikan proyek yang dikerjakan sesuai dengan waktu yang ditentukan.

Untuk mengestimasikan kompleksitas proyek dapat menggunakan beberapa metode dalam manajemen proyek, salah satu metode tersebut adalah metode *Function Point*. Metode *Function point* adalah sutau metode yang dapat digunakan untuk mengestimasi kompleksitas proyek perangkat lunak, menyediakan perkiraan volume proyek dalam bentuk sumber daya pengembangan yang dibutuhkan sebelum proyek tersebut dikerjakan. Perkiraan ini memberikan dasar penting untuk menyediakan perkiraan sumber daya yang dibutuhkan perusahaan software dalam mempersiapkan proposal tender dan *project plan*. Metode ini juga dapat mencegah atau setidaknya mengurangi kesalahan salam perencanaan biaya proyek.

Dengan menggunakan metode *Function Point* kompleksitas proyek perangkat lunak dapat diketahui sehingga sumber daya manusia yang mengerjakan dan biaya proyek sesuai dengan kebutuhan dan perusahaan dapat menyelesaikan proyek tepat pada waktunya.

Kata kunci: proyek, perangkat lunak, kompleksitas, function point, sumber daya manusia, biaya, waktu

# IMPLEMENTATION OF FUNCTION POINT METHOD FOR MEASURING SOFTWARE PROJECT COMPLEXITY

One of the problems encountered in software project work is that the projects underwent a shortage of human resources working on the project due to errors in estimating the complexity of the project to be undertaken and impacting the project costs incurred. Project costs incurred may increase in line with the complexity of the work done so that the company may incur losses or the company can not complete the project done within the specified time.

To estimate the complexity of a project can use several methods in project management, one such method is the Function Point method. Function point method is a method that can be used to estimate the complexity of a software project, providing project volume estimates in the form of development resources required before the project is undertaken. This estimate provides an important basis for providing estimates of the resources required by software companies to prepare tender proposals and project plans. This method can also prevent or at least reduce the error of the project cost plan.

By using the Function Point method the complexity of the software project can be known so that the human resources that work and the cost of the project in accordance with the needs and the company can complete the project on time.

Keywords : projects, software, complexity, function point, human resources, cost, time

## Revisi 1

## **Utilization Of Function Point Method For Measuring Software Project Complexity**

## S Atin<sup>1,\*</sup>, T Harihayati<sup>1</sup>, U D Widianti<sup>1</sup>

<sup>1</sup>Informatics Engineering , Faculty Of Engineering and Computer Science, Universitas Komputer Indonesia, Jl. Dipatiukur No.112-116 Bandung, Indonesia

\*sufaatin@email.unikom.ac.id

Abstract. (kalimat pertama tujuan), metode, (hasil) (Pembahasan = alasan pemilihan metode) (kesimpulan)-→ Gabungkan (Ringkaskan dengan menggunakan kalimat) (contoh : tjuan dalam penelitian ini ... One of the problems encountered in software project development is the project experiencing delays in its completion due to errors in estimating the complexity of the project to be undertaken and impacting the time and cost of the project. Project costs incurred can increase in line with the complexity of the work done so that the company may incur losses or the company can not complete the project done in accordance with the time specified. To estimate the complexity of a project can use several methods in project management, one such method is the Function Point method. Function point method is a method that can be used to estimate the complexity of a software project, providing project volume estimates in the form of development resources required before the project is undertaken. This estimate provides an important basis for providing estimates of the resources required by software companies to prepare tender proposals and project plans. This method can also prevent or at least reduce the error of the project cost plan. By using the Function Point method the complexity of software projects can be known so that the time and cost of project work in accordance with the needs and the company can complete the project on time. (200 kata)

## 1. Introduction

(hanya 3 paragraf (1 paragraf minimal 3 kalimat) (paragraf 1 : judul  $\rightarrow$  penjelasan judul), (paragraf 2 : penelitian-penelitian orang lain (minimal 3 penelitian sampai 5 penelitian harus ada perbedaan dengan penelitian orang lain (state of the art)) (oleh karena itu  $\rightarrow$  judul) (paragraf 3 abstract) seluruh kalimat P1 dan P2 harus ada referensinya) The project is a combination of resources such as people, materials, equipment, and capital / costs gathered in a temporary organizational container to achieve goals and objectives [1]. Project Management is all the planning, implementation, control and coordination of a

project from the beginning (the idea) to the end of the project to ensure timely, timely and costeffective implementation [2]. One area of the project is the software project. Software project is one of the projects engaged in IT that offer the manufacture of services such as system creation, website creation and so forth. In software development there are often some obstacles One of the problems encountered in software project development is the project of experiencing delays in its completion due to errors in estimating the complexity of the project to be undertaken and impacting the time and cost of the project. Project costs incurred can increase in line with the complexity of the work done so that the company may incur losses or the company can not complete the project done in accordance with the time specified.

To estimate the complexity of a project can use several methods in project management, one such method is the Function Point method. Function point method is a method that can be used to estimate the complexity of a software project, providing project volume estimates in the form of development resources required before the project is undertaken. This estimate provides an important basis for providing estimates of the resources required by software companies to prepare tender proposals and project plans. This method can also prevent or at least reduce the error of the project cost plan.

By using the Function Point method the complexity of software projects can be known so that the time and cost of project work in accordance with the needs and the company can complete the project just in time.

### 2. Research Methods

(Gambar dan tabel harus berbahasa inggris)

Research methodology used in this research is descriptive research metopdologi that is a research method that aims to create description, picture or painting of facts and information in situation or event investigated in systematic, factual and accurate. The methodology of this study can be seen in Figure 1. (Harus dijelaskan dengan naratif) (tidak boleh ada rumus-rumus baku) (harus past tent)




Figure 1. Research methodology

### 3. Results and Discussion

(Hasil -→ jelaskan semua, (Hati-hati dalam menulis sub-bab) (Hasil harus ada kenapa) dan referensi

#### 3.1. Secondary Data Collection

The data used as research material is project data Online Test System (Prospective Income Taruna) By CV.XYZ. This system will be implemented to simultaneously select candidates across Indonesia consisting of registration, payment, examination and announcement. In the case study taken there is a

project Exam Chart Online system one of which there is a rough time calculation of completion of the project is 5 Months, calculation of the project's crude cost of 150,000,000, - and wages of workers every week of 7.500.000, -

## 3.2. Calculating Crude Function Point (CFP)

The first step in estimating project complexity using function point is to calculate Crude Function Point. There are several components involved in CFP calculations. These components have "simple", "medium" or "complex" categories depending on the characteristics of their complexity. Simple, medium and complex categories are derived from the complexity standards set by CV.XYZ. as for the standard complexity CV.XYZ can be seen in table 1.

Complexity Level	Poin FP
Simple	Poin < 400
Medium	400 poin < 700
Complexity	> 700

Table 1. Complexity Standard of Project CV.XYZ.

In addition to depending on the project complexity standard as in table 1, CFP also involves five components in system analysis such as:Jumlah aplikasi input

- Number of output applications
- Number of online query applications applications related to queries against stored data
- Number of logic files / tables involved
- Number of external output interfaces or inputs that can be related to a computer via flasdist data communications, CDs, floppy disks and others.

The first step in performing CFP calculations is to identify the components in the system design and then grouped into simple, medium and complex based on their complexity. The number of each component that has been grouped can be entered into the CFP table. Here are the details of the complexity assignment on each component of the Online Test System (Admission Taruna) in CV.XYZ can be seen in table 2.

Explanation	Components	Co	mplexity Le	vel	Total
System	_	Simple	Medium	Complexi	CFP
		_		ty	
Input	Account management Input	5 x 3 =25			15
	Input Employee Management	4 x 3 = 12			12
	Input HR Management	3 x 3 = 15			15
	Input Asset Management	4 x 3 = 12			12
	Input News Management	$3 \ge 3 = 9$			9
	Organizational Management		7 x 4 = 28		28
	Input				
	Input education management		6 x 4 = 24	5 x 5 = 25	49
	Input of research management		4 x 4=16		16
	Input management of devotion	5 x 3 = 15			15
	Input of forum management	6 x 3 = 18			18
	Input poll management	5 x 3 = 15			15
	Input of agency management	4 x 3 = 12			12
	Input of complaints			$4 \ge 5 = 20$	20
	management				

Table 2. Giving Complexity Values.

	Input payroll management			4 x 5 = 20	20
	Input budget management			5 x 5 = 25	25
	Input management of the journal			5 x 5 = 25	25
	Input tax management			$4 \ge 5 = 20$	20
Output	Output of Account Data			4x 6 = 24	24
	Output Employee data			$4 \ge 6 = 24$	24
	Output of HR Data			$4 \ge 6 = 24$	24
	Output of Asset Data	4 x 3 = 12			12
	Output News data	4 x 3 = 12			12
	Organizational Data Output	5 x 3 = 15			15
	Output Educational data	4 x 3 = 12			12
	Output Research data	$3 \ge 3 = 9$			9
	Output Data devotion	4 x 3 = 12			12
	Output Data forum discussion			$3 \ge 6 = 18$	18
	Output Poll data		3 x 4= 12		12
	Output of Institution Data		4 x 4 = 16		16
	Output Complaint data		3 x 4 = 12		12
	Output Payroll data			$3 \ge 6 = 18$	18
	LRA Data Output			$3 \ge 6 = 18$	18
	Output of Journal Data			$3 \ge 6 = 18$	18
	Output Data ledger			$3 \ge 6 = 18$	18
	Output Balance data			$3 \ge 6 = 18$	18
	Output Tax data			$3 \ge 6 = 18$	18
	Output Financial data			$3 \ge 6 = 18$	18
File Logic	Database file			3 x 15=	45
_				45	
	Entity class		12x7=84		84
	Controller class			4x15=60	60
	Interface class			5x15=75	75
Interface Eksternal	-	-	-	-	-
Inquery	Journal calculations			$3 \ge 5 = 15$	15
1 1	Budget calculation			$3 \times 5 = 15$	15
	The calculation of the ledger			$3 \ge 5 = 15$	15
	Balance sheet calculation			$4 \ge 5 = 20$	20
	Tax calculation			$4 \ge 5 = 20$	20
	Calculation of financial			$4 \times 5 = 20$	20
	statements				
				Total	1017

Here is the accumulation of the results of the calculation of the value in table 2, while the accumulated results of the calculation of the level of complexity values can be seen in table 3. Based on the calculation of complexity value in table 3, total value of CFP is 1017 points.

Explanation	Complexity Level									Total CFP
System	Simple		Medium		Complexity					
	Α	В	C=AXB	D	Е	DXE=F	G	Η	I=GXH	CFP=C+F+I
Input	39	3	117	17	4	68	27	5	135	320

**Table 3.** Calculation of Complexity Level Values.

Output	24	3	72	10	4	40	36	6	216	328
Query	-	-	-	-	-	-	21	5	105	105
Online Eile Legie				10	7	0.4	10	15	190	264
File Logic Interface	_	_	_	12	/	84 -	12	15	180	264
Eksternal										
								Т	otal CFP	1017

## 3.3. Calculating Relative Complexity Adjusment Factor (RCAF)

Relative Complexity Adjustment Factor (RCAF) is calculated based on the overall complexity of the system. RCAF is calculated using 14 General System Characteristic (GSC), where GSC scales zero up to five. The zero scale shows no effect and the scale of five indicates a broad influence on the whole project. GSC calculation serves to calculate the conclusions of complexity in which there are 14 points characteristics of the software system. A scale assessment of zero to five is given to each of the most influential characteristics of the required development effort.

The 14 criteria for GSC calculation are as follows:

- The level of data communication complexity: the level of communication needs directly between applications and processors.
- The level of data processing complexity: the level of data transfer needs between application components.
- Level of performance complexity: the level of response time and throughput to consider in application development.
- Level of configuration complexity: the level of need where the computer configuration settings affect the application development.
- The system user frequency level: the level of business transaction speed that affects application development.
- Data input frequency level: the level of need for interactive data pengimputan.
- Level of ease of use for the user: level of ease of use of the application.
- Data frequency update rate: ILF requirement level is updated online.
- The level of complexity of data processing: the difficulty level of process logic affecting the development process.
- The level of possible reuse / reusable program code: the level of application needs and application program code designed and developed to be used in other applications.
- Level of ease of installation: the level of ease of conversion to new systems that affect the development process.
- Level of operasinal ease of software (backup, recovery, etc.): level of ease of application in operational aspects, such as start-up, backup, and recovery process.
- The level of software is made for multiple organizations / companies / clients: the level of application needs can be operationalized in different hardware and software environments.
- Level of complexity in following change / flexibility: Level of ease of application for process logic modification and data structure.

The assessment of the complexity of 14 criteria for GSC calculations has a scale of zero to five where the value is zero = no effect, 1 = insidential, 2 = moderate, 3 = average, 4 = significant and 5 = essential. The results of the assessment of system complexity using GSC can be seen in table 4. By using the 14 GSC criteria as in table 4, the RCAF score in table 5 shows 66 points.

Table 5. C	alculation of	General	Charakteristic	System	(GSC)	
------------	---------------	---------	----------------	--------	-------	--

No	General System Characteristic (GSC)	Value of Interest
1	The level of data communication complexity	5
2	The level of complexity of data processing	5
3	Level of performance complexity	5
4	The level of configuration complexity	5
5	Software user frequency level	5
6	Data input frequency level	4
7	Level of ease of use for the user	4
8	Data frequency update rate	4
9	The level of complexity of data processing	4
10	Level of possible reuse / reusable program cod	5
11	Level of ease in installation	4
12	Level of ease of operasinal software (backup, recovery, etc.)	4
13	The software level is made for multiple organizations / companies / clients	5
14	Level of complexity in following changes / flexible	3
	Total RCAF	66

### 3.4. Calculating Function Point (FP)

After performing GSC calculations the last step in calculating the complexity of a project is to calculate the function point (FP). Function point value for Online Test system can be calculated using the following formula:

$$FP = CFP * (0.65 + 0.01 * RCAF)$$

Obtained function point value as follows:

FP = 1017 \* (0.65 + 0.01 \* 66) = 1332,27 FP

Based on the calculation of the function point, the estimated complexity obtained for the Online Testing System project is 1332.27, then based on table 1 of the Online Exam System Project included into the Complex project category as more than 700 points.

#### 3.5. Estimated Cost and Project Time

After going through several stages Function Point calculation, then obtained the total point function value of 1332.27 points and obtained calculation of the estimated time required to finish the project as follows:

Estimate Time = Total Function Point / (Number Of Developers x 6 Fuction Point) Estimate Time = 1332,27 / (9 x 6) = 24,67 Week = (25 Week)

As for the estimated cost can be calculated by multiplying labor rates per week multiplied by the estimated amount of time. The calculation of the estimated cost required for the completion of the project as follows:

Estimate Cost = labor rates x the estimated amount of time Estimate Cost =  $7.500.000 \times 25$ = 187.500.000.-

Based on the calculation of the function point obtained the level of project complexity and the estimated cost and time required for completion of the project. In the Online Exam System project that has been calculated the value of function pointnya can be concluded that CV.XYZ targeting the cost and time of the work is too low where the targeted cost of 150,000,000 with a working time of 5 months., If calculated by the method function point obtained cost estimates amounting to 187,500,000 and the estimated time of completion of the project for 25 weeks. From the calculation, the cost difference is 37,500,000 and the difference of working time is 5 weeks.

## 4. Conclusion

(tidak boleh copy paste dr abstrak, harus lebih pendek dari abstrak)

There are several conclusions obtained from the results of this study, namely:

- The complexity of the project is either simple, medium or complex
- Can estimate the cost of the project so that the offer is not too high or too low
- Can estimate the time of project work so that not too fast or too long in project completion.

## 5. Acknowledgements

## References (Buku maksimal 2) (harus jurnal internasional → bahasa Inggris)

- [1] Heryanto.I, Triwibowo.T, 2016. Manajemen Proyek Berbasis Teknologi Informasi. Informatika Bandung, Revisi Kedua
- [2] Ervianto, W, I. 2005, Manajemen Proyek Konstruksi, Yogyakarta : Andi
- [3] Rudy Tantra. 2012. Manajemen Proyek Sistem Informasi, bagaimana mengolah proyek sistem informasi secara efektif & efisien: Andi Offset
- [4] Ir.Abrar Husen,MT. 2011. manajemen PROYEK.Yogyakarta: Andi Offset
- [5] Budi Santosa. 2008. Manajemen Proyek konsep dan implementasi: Graha Ilmu
- [6] F. Zul, 2013, "Perancangan Sistem Informasi Pengendalian Proyek dengan Metode Earned Value Management (EVM)," ITS-paper-27702-3110106054-Paper, pp. 1-7.

## Revisi 2

## **Utilization Of Function Point Method For Measuring Software Project Complexity**

## S Atin<sup>1\*</sup>, T Harihayati<sup>1</sup>, U D Widianti<sup>1</sup>

<sup>1</sup>Informatics Engineering , Faculty Of Engineering and Computer Science, Universitas Komputer Indonesia, Jl. Dipatiukur No.112-116 Bandung, Indonesia

\*sufaatin@email.unikom.ac.id

Abstract. Tujuan dalam penelitian ini adalah mengetahui kompleksitas suatu proyek sehingga waktu dan biaya pengerjaan proyek sesuai dengan kebutuhan dan perusahaan dapat menyelesaikan proyek tepat pada waktunya. Adapun metode yang digunakan untuk mencapai tujuan penelitian adalah dengan menggunakan Metode Function Point. Metode Function point adalah suatu metode yang digunakan untuk mengestimasi kompleksitas proyek perangkat lunak, menyediakan perkiraan volume proyek dalam bentuk sumber daya pengembangan yang dibutuhkan sebelum proyek tersebut dikerjakan. Perkiraan ini memberikan dasar penting untuk menyediakan perkiraan sumber daya yang dibutuhkan perusahaan software dalam mempersiapkan proposal tender dan project plan. Salah satu masalah yang dihadapi dalam pengerjaan proyek perangkat lunak adalah proyek mengalami keterlambatan dalam penyelesaiannya yang disebabkan kesalahan dalam mengestimasi kompleksitas proyek yang dikerjakan dan berdampak pada waktu dan biaya proyek yang dikeluarkan. Metode function poin dapat mencegah atau mengurangi kesalahan salam perencanaan biaya proyek. Dengan menggunakan metode Function Point kompleksitas proyek perangkat lunak dapat diketahui sehingga waktu dan biaya pengerjaan proyek sesuai dengan kebutuhan dan perusahaan dapat menyelesaikan proyek tepat pada waktunya.

## 1. Introduction

The project is a combination of resources such as people, materials, equipment, and capital / costs gathered in a temporary organizational container to achieve goals and objectives [1]. Project Management is all the planning, implementation, control and coordination of a project from the beginning (the idea) to the end of the project to ensure timely, timely and cost-effective implementation [2]. One area of the project is the software project. Software project is one of the projects engaged in IT that offer the manufacture of services such as system creation, website creation and so forth. In software development there are often some obstacles One of the problems encountered in software project development is the project of experiencing delays in its completion due to errors in

estimating the complexity of the project to be undertaken and impacting the time and cost of the project. Project costs incurred can increase in line with the complexity of the work done so that the company may incur losses or the company can not complete the project done in accordance with the time specified.

To estimate the complexity of a project can use several methods in project management, one such method is the Function Point method [4]. Function point method is a method that can be used to estimate the complexity of a software project, providing project volume estimates in the form of development resources required before the project is undertaken. This estimate provides an important basis for providing estimates of the resources required by software companies to prepare tender proposals and project plans. This method can also prevent or at least reduce the error of the project cost plan [5].

By using the Function Point method the complexity of software projects can be known so that the time and cost of project work in accordance with the needs and the company can complete the project just in time.

## 2. Methodology

Metodologi penelitian yang digunakan dalam penelitian ini adalah metopdologi penelitian deskriptif yaitu suatu metode penelitian yang bertujuan untuk membuat deskripsi, gambaran dan informasi dalam situasi atau kejadian yang diselidiki secara sistematis, faktual dan akurat. Adapun metodologi penelitian ini dimulai dari melakukan studi literatur dan dilanjutkan dengan melakukan pengumpulan data sekunder. Setelah terkumpul data sekunder langakh berikutnya menghitung nilai Crude Function Point (CFP). Setelah didapatkan nilai dapat nilai CFP Langkah berikutnya menghitung nilai Relative Complexity Adjusment Factor (RCAF) dan yang terakhir menghitung nilai Fuction Point. Dan langkah terakhir menarik kesimpulan dari nilai function point.

#### 3. Results and Discussion

#### 3.1. Secondary Data Collection

The data used as research material is project data Online Test System (Prospective Income Taruna) By CV.XYZ. This system will be implemented to simultaneously select candidates across Indonesia consisting of registration, payment, examination and announcement. In the case study taken there is a project Exam Chart Online system one of which there is a rough time calculation of completion of the project is 5 Months, calculation of the project's crude cost of 150,000,000, - and wages of workers every week of 7.500.000, -

#### 3.2. Calculating Crude Function Point (CFP)

The first step in estimating project complexity using function point is to calculate Crude Function Point. There are several components involved in CFP calculations [5]. These components have "simple", "medium" or "complex" categories depending on the characteristics of their complexity. Simple, medium and complex categories are derived from the complexity standards set by CV.XYZ. as for the standard complexity CV.XYZ can be seen in table 1.

Complexity Level	Poin FP
Simple	Poin < 400
Medium	400 poin < 700
Complexity	> 700

 Table 1. Complexity Standard of Project CV.XYZ.

In addition to depending on the project complexity standard as in table 1, CFP also involves five components in system analysis such as:Jumlah aplikasi input

• Number of output applications

- Number of online query applications applications related to queries against stored data
- Number of logic files / tables involved
- Number of external output interfaces or inputs that can be related to a computer via flasdist data communications, CDs, floppy disks and others.

The first step in performing CFP calculations is to identify the components in the system design and then grouped into simple, medium and complex based on their complexity. The number of each component that has been grouped can be entered into the CFP table. Here are the details of the complexity assignment on each component of the Online Test System (Admission Taruna) in CV.XYZ can be seen in table 2.

Explanatio	Components	(	Complexity Level					
n System	-	Simple	Medium	Complexity				
Input	Account management Input	5 x 3 =25			15			
	Input Employee Management	$4 \ge 3 = 12$			12			
	Input HR Management	$3 \ge 3 = 15$			15			
	Input Asset Management	$4 \ge 3 = 12$			12			
	Input News Management	$3 \ge 3 = 9$			9			
	Organizational Management Input		$7 \ge 4 = 28$		28			
	Input education management		$6 \ge 4 = 24$	$5 \ge 5 = 25$	49			
	Input of research management		4 x 4=16		16			
	Input management of devotion	$5 \ge 3 = 15$			15			
	Input of forum management	$6 \ge 3 = 18$			18			
	Input poll management	$5 \times 3 = 15$			15			
	Input of agency management	$4 \times 3 = 12$			12			
	Input of complaints management	77.5 12		$4 \ge 5 = 20$	20			
	Input of complaints management			$4 \times 5 = 20$ $4 \times 5 = 20$	20 20			
	Input budget management			$4 \times 5 = 20$ 5 x 5 = 25	20 25			
	Input management of the journal			$5 \times 5 = 25$ $5 \times 5 = 25$	25			
				$3 \times 5 = 25$ $4 \times 5 = 20$	23			
Outrust	Input tax management							
Output	Output of Account Data			4x 6 = 24	24			
	Output Employee data			$4 \ge 6 = 24$	24			
	Output of HR Data			$4 \ge 6 = 24$	24			
	Output of Asset Data	$4 \ge 3 = 12$			12			
	Output News data	$4 \ge 3 = 12$			12			
	Organizational Data Output	$5 \ge 3 = 15$			15			
	Output Educational data	$4 \ge 3 = 12$			12			
	Output Research data	$3 \ge 3 = 9$			9			
	Output Data devotion	$4 \ge 3 = 12$			12			
	Output Data forum discussion			$3 \ge 6 = 18$	18			
	Output Poll data		3 x 4= 12		12			
	Output of Institution Data		$4 \ge 4 = 16$		16			
	Output Complaint data		$3 \ge 4 = 12$		12			
	Output Payroll data			$3 \ge 6 = 18$	18			
	LRA Data Output			$3 \ge 6 = 18$	18			
	Output of Journal Data			$3 \ge 6 = 18$	18			
	Output Data ledger			$3 \ge 6 = 18$	18			
	Output Balance data			$3 \ge 6 = 18$	18			
	Output Tax data			$3 \ge 6 = 18$	18			
	Output Financial data			$3 \ge 6 = 18$	18			
ile Logic	Database file			3 x 15=45	45			
5	Entity class		12x7=84		84			
	Controller class			4x15=60	60			
	Interface class			5x15=75	75			
Interface	-	-	-	-	-			
Eksternal								
Inquery	Journal calculations			$3 \ge 5 = 15$	15			
	Budget calculation			$3 \ge 5 = 15$	15			
	The calculation of the ledger			$3 \ge 5 = 15$	15			

Table 2. Giving Complexity Values.

Balance sheet calculation	$4 \ge 5 = 20$	20
Tax calculation	$4 \ge 5 = 20$	20
Calculation of financial statements	$4 \ge 5 = 20$	20
	Total	1017

Here is the accumulation of the results of the calculation of the value in table 2, while the accumulated results of the calculation of the level of complexity values can be seen in table 3. Based on the calculation of complexity value in table 3, total value of CFP is 1017 points.

Explanation		Complexity Level								Total CFP
Ŝystem		Simpl	e		Mediu	m		Complex	ity	
-	А	В	C=AXB	D	Е	DXE=F	G	Η	I=GXH	CFP=C+F+I
Input	39	3	117	17	4	68	27	5	135	320
Output	24	3	72	10	4	40	36	6	216	328
Query Online	-	-	-	-	-	-	21	5	105	105
File Logic				12	7	84	12	15	180	264
Interface Eksternal	-	-	-	-	-	-	-	-	-	-
									Total CFP	1017

 Table 3. Calculation of Complexity Level Values.

## 3.3. Calculating Relative Complexity Adjusment Factor (RCAF)

Relative Complexity Adjustment Factor (RCAF) is calculated based on the overall complexity of the system. RCAF is calculated using 14 General System Characteristic (GSC), where GSC scales zero up to five. The zero scale shows no effect and the scale of five indicates a broad influence on the whole project. GSC calculation serves to calculate the conclusions of complexity in which there are 14 points characteristics of the software system [6]. A scale assessment of zero to five is given to each of the most influential characteristics of the required development effort.

The 14 criteria for GSC calculation are as follows:

- The level of data communication complexity: the level of communication needs directly between applications and processors.
- The level of data processing complexity: the level of data transfer needs between application components.
- Level of performance complexity: the level of response time and throughput to consider in application development.
- Level of configuration complexity: the level of need where the computer configuration settings affect the application development.
- The system user frequency level: the level of business transaction speed that affects application development.
- Data input frequency level: the level of need for interactive data pengimputan.
- Level of ease of use for the user: level of ease of use of the application.
- Data frequency update rate: ILF requirement level is updated online.
- The level of complexity of data processing: the difficulty level of process logic affecting the development process.
- The level of possible reuse / reusable program code: the level of application needs and application program code designed and developed to be used in other applications.
- Level of ease of installation: the level of ease of conversion to new systems that affect the development process.

- Level of operasinal ease of software (backup, recovery, etc.): level of ease of application in operational aspects, such as start-up, backup, and recovery process.
- The level of software is made for multiple organizations / companies / clients: the level of application needs can be operationalized in different hardware and software environments.
- Level of complexity in following change / flexibility: Level of ease of application for process • logic modification and data structure.

The assessment of the complexity of 14 criteria for GSC calculations has a scale of zero to five where the value is zero = no effect, 1 = insidential, 2 = moderate, 3 = average, 4 = significant and 5 =essential. The results of the assessment of system complexity using GSC can be seen in table 4. By using the 14 GSC criteria as in table 4, the RCAF score in table 5 shows 66 points.

No	General System Characteristic (GSC)	Value of Interest
1	The level of data communication complexity	5
2	The level of complexity of data processing	5
3	Level of performance complexity	5
4	The level of configuration complexity	5
5	Software user frequency level	5
6	Data input frequency level	4
7	Level of ease of use for the user	4
8	Data frequency update rate	4
9	The level of complexity of data processing	4
10	Level of possible reuse / reusable program cod	5
11	Level of ease in installation	4
12	Level of ease of operasinal software (backup, recovery, etc.)	4
13	The software level is made for multiple organizations /	5
	companies / clients	
14	Level of complexity in following changes / flexible	3
	Total RCAF	66

Table 4. Calculation of General Charakteristic System (GSC).

## 3.4. Calculating Function Point (FP)

After performing GSC calculations the last step in calculating the complexity of a project is to calculate the function point (FP) [7][8][9]. Function point value for Online Test system can be calculated using the following formula: FP = CFP \* (0.65 + 0.01 \* RCAF)Obt

tained function point value as follows: 
$$FP = 1017 * (0.65 + 0.01 * 66)$$

Based on the calculation of the function point, the estimated complexity obtained for the Online Testing System project is 1332.27, then based on table 1 of the Online Exam System Project included into the Complex project category as more than 700 points.

## 3.5. Estimated Cost and Project Time

After going through several stages Function Point calculation, then obtained the total point function value of 1332.27 points and obtained calculation of the estimated time required to finish the project as follows [10]: Estimate Time = Total Function Point / (Number Of Developers x 6 Fuction Point) Est

timate Time = 
$$1332,27 / (9 \times 6)$$
  
= 24,67 Week = (25 Week)

As for the estimated cost can be calculated by multiplying labor rates per week multiplied by the estimated amount of time. The calculation of the estimated cost required for the completion of the project as follows: Estimate Cost = labor rates x the estimated amount of time

Based on the calculation of the function point obtained the level of project complexity and the estimated cost and time required for completion of the project. In the Online Exam System project that has been calculated the value of function pointnya can be concluded that CV.XYZ targeting the cost and time of the work is too low where the targeted cost of 150,000,000 with a working time of 5 months., If calculated by the method function point obtained cost estimates amounting to 187,500,000 and the estimated time of completion of the project for 25 weeks. From the calculation, the cost difference is 37,500,000 and the difference of working time is 5 weeks.

## 4. Conclusion

There are several conclusions obtained from the results of this study, namely:

- The complexity of the project is either simple, medium or complex
- Can estimate the cost of the project so that the offer is not too high or too low
- Can estimate the time of project work so that not too fast or too long in project completion.

## 5. Acknowledgements

Puji syukur kehadirat Allah SWT, atas berkat taufik serta hidayah-Nya saya dapat menyelesaikan penelitian dan makalah yang berjudul Penerapan Metode Earned Value Management (EVM) Dalam Pengendalian Biaya Proyek. Terima kasih juga kepada suami, anak-anak saya dan juga orang tua yang selalu mendoakan dan memberikan dukungan.Dan terima kasih juga kepada teman-teman di Prodi Teknik Informatika Unikom atas saran dan kritiknya.

## References

- [1] Heryanto.I, Triwibowo.T, 2016. Manajemen Proyek Berbasis Teknologi Informasi. Informatika Bandung, Revisi Kedua
- [2] Ervianto, W, I. 2005, Manajemen Proyek Konstruksi, Yogyakarta : Andi
- [3] Deng, J.D., Purvis, M.K., Purvis, M.A., 'Software Effort Estimation : Harmonizing Algorithms and Domain Knowledge in An Integrated Data Mining Approach" Inf. Sci. Discuss. Pap. Ser., (5), pp. 1-13, 2009.
- [4] Mittal, H., Bhatia, P., " A Comparative Study of Convertional Effort Estimation and Fuzzy Effort Estimation Based On Triangular Fuzzy Numbers", International Journal Computer Science Security., (4), pp. 36-47, 2002.
- [5] Gramus, D. Dan Herron, D., "Measuring the Software Process A Practical Guide to Functional Measurements", Yourdon Press, Prentice Hall, New Jersey, US, 1996
- [6] IEEE, 2000, IEEE Std 1061-1998 Standart for Software Quality Metrics Methodology, The Institute of Electrical and Electronics Engineers, New York, US. Agustus 2009.
- [7] Caldiera, G., Antoniol, G., Fiuterm, R. Dan Lokan, C., "Definition and Exerimental Ecaluation of Function Points for Object-Oriented systems, Preceedings of The Fifth International software Metrics symposium, California, US, 1998.
- [8] Cantono G., Pace D., dan Calavaro G., "Applying Function Point to Unified Modeling Language: Conversion Model and Pilot Study", In Proceeding 10<sup>th</sup> International Symposium on Software Metrics (METRICS'04), 2004
- [9] Benton, A., Bradly, M, The International Function Point User Group (IFPUG) in Function Point Counting Practices manual release 4.2'. (SA), 1999.
- [10] Schatzberg, D.R., Total Quality Management for Maintenance Process Improvement, Journal Software Maintenance, Res. Pract., 5, (1), pp. 1-12, 1993.

## **Final Artikel**

## **Utilization Of Function Point Method For Measuring Software Project Complexity**

## S Atin<sup>1\*</sup>, T Harihayati<sup>1</sup>, U D Widianti<sup>1</sup>

<sup>1</sup>Informatics Engineering , Faculty Of Engineering and Computer Science, Universitas Komputer Indonesia, Jl. Dipatiukur No.112-116 Bandung, Indonesia

\*sufaatin@email.unikom.ac.id

Abstract. The complexity of a project can be defined as something consisting of so many interrelated sections that can be operated in the context of difference and interdependence. The purpose of this study is to know the complexity of a project so that the time and cost of project work in accordance with the needs and the company can complete the project on time. The method used to achieve research objectives using the Function Point Method. Function point method is a method used to estimate the complexity of a software project, providing project volume estimates in the form of development resources required before the project is undertaken. This estimate provides an important basis for providing estimates of the resources required by software companies to prepare tender proposals and project plans. One of the problems encountered in software project. Function point method can prevent or reduce the error of project cost plan. By using the Function Point method the complexity of software projects can be known so that the time and cost of project work in accordance with the needs and the company concordance with the needs and the company can complete the project so that the project on time.

#### 1. Introduction

The project is a combination of resources such as people, materials, equipment, and capital / costs gathered in a temporary organizational container to achieve goals and objectives [1]. Project Management is all the planning, implementation, control and coordination of a project from the beginning (the idea) to the end of the project to ensure timely, timely and cost-effective implementation [2]. To estimate the complexity of a project can use several methods in project management, one such method is the Function Point method [3]. Function point method is a method that can be used to estimate the complexity of a software project, providing project volume estimates in the form of development resources required before the project is undertaken. This estimate provides an important basis for providing estimates of the resources required by software companies to prepare

tender proposals and project plans. This method can also prevent or at least reduce the error of the project cost plan [4].

Some previous research using the function point analysis method is a study conducted by Albrecht who examined the business estimates made by IBM companies since 1983 [5] and then developed rapidly into an international association called IFPUG (International Function Points User Group) and evolved into standard ISO / IEC 20926 [6]. Other studies have shown that business estimation by function point method is directly proportional to actual effort [3] [4].

In this study, researchers will try to use the function point method used to estimate the business in software projects. By using the Function Point method the complexity of software projects can be known so that the time and cost of project work in accordance with the needs and the company can complete the project just in time.

### 2. Methodology

Research methodology used in this research is descriptive research methodology is a research method that aims to create descriptions, images and information in the situation or events investigated systematically, factually and accurately. The methodology of this study started from conducting literature studies and continued with secondary data collection. After collecting secondary data, the next step calculates the value of Crude Function Point (CFP). After the CFP value is obtained, the next step calculates the Relative Complexity Adjustment Factor (RCAF) value and the last one calculates the Fuction Point value and the final step is to draw the conclusion of the function point value.

### 3. Results and Discussion

### 3.1. Secondary Data Collection

The data used as research material is project data Online Test System (Prospective Income Taruna) By CV.XYZ. This system will be implemented to simultaneously select candidates across Indonesia consisting of registration, payment, examination and announcement. In the case study taken there is a project Exam Chart Online system one of which there is a rough time calculation of completion of the project is 5 Months, calculation of the project's crude cost of 150,000,000, - and wages of workers every week of 7.500.000, -

## 3.2. Calculating Crude Function Point (CFP)

The first step in estimating project complexity using function point is to calculate Crude Function Point. There are several components involved in CFP calculations [3]. These components have "simple", "medium" or "complex" categories depending on the characteristics of their complexity. Simple, medium and complex categories are derived from the complexity standards set by CV.XYZ. as for the standard complexity CV.XYZ can be seen in table 1.

Complexity Level	Poin FP
Simple	Poin < 400
Medium	400 poin < 700
Complexity	> 700

 Table 1. Complexity Standard of Project CV.XYZ.

In addition to depending on the project complexity standard as in table 1, CFP also involves five components in system analysis such as: number of input application, number of output applications, number of online query applications - applications related to queries against stored data, number of logic files / tables involved, number of external output interfaces or inputs that can be related to a computer via flasdist data communications, CDs, floppy disks and others.

The first step in performing CFP calculations is to identify the components in the system design and then grouped into simple, medium and complex based on their complexity. The number of each

component that has been grouped can be entered into the CFP table. Here are the details of the complexity assignment on each component of the Online Test System (Admission Taruna) in CV.XYZ can be seen in table 2.

Explanatio	Components		Complexity Lev	el	Total CFF
n System	-	Simple	Medium	Complexity	
Input	Account management Input	5 x 3 =25			15
	Input Employee Management	$4 \ge 3 = 12$			12
	Input HR Management	$3 \ge 3 = 15$			15
	Input Asset Management	$4 \ge 3 = 12$			12
	Input News Management	$3 \ge 3 = 9$			9
	Organizational Management Input		$7 \ge 4 = 28$		28
	Input education management		$6 \ge 4 = 24$	5 x 5 = 25	49
	Input of research management		4 x 4=16		16
	Input management of devotion	5 x 3 = 15			15
	Input of forum management	$6 \ge 3 = 18$			18
	Input poll management	5 x 3 = 15			15
	Input of agency management	$4 \ge 3 = 12$			12
	Input of complaints management			$4 \ge 5 = 20$	20
	Input payroll management			$4 \ge 5 = 20$	20
	Input budget management			5 x 5 = 25	25
	Input management of the journal			5 x 5 = 25	25
	Input tax management			$4 \ge 5 = 20$	20
Output	Output of Account Data			4x 6 = 24	24
	Output Employee data			$4 \ge 6 = 24$	24
	Output of HR Data			$4 \ge 6 = 24$	24
	Output of Asset Data	$4 \ge 3 = 12$			12
	Output News data	$4 \ge 3 = 12$			12
	Organizational Data Output	$5 \ge 3 = 15$			15
	Output Educational data	$4 \ge 3 = 12$			12
	Output Research data	$3 \ge 3 = 9$			9
	Output Data devotion	$4 \ge 3 = 12$			12
	Output Data forum discussion			$3 \ge 6 = 18$	18
	Output Poll data		3 x 4= 12		12
	Output of Institution Data		4 x 4 = 16		16
	Output Complaint data		$3 \ge 4 = 12$		12
	Output Payroll data			$3 \ge 6 = 18$	18
	LRÂ Data Output			$3 \ge 6 = 18$	18
	Output of Journal Data			$3 \ge 6 = 18$	18
	Output Data ledger			$3 \ge 6 = 18$	18
	Output Balance data			$3 \ge 6 = 18$	18
	Output Tax data			$3 \ge 6 = 18$	18
	Output Financial data			$3 \ge 6 = 18$	18
File Logic	Database file			3 x 15= 45	45
U	Entity class		12x7=84		84
	Controller class			4x15=60	60
	Interface class			5x15=75	75
Interface	-	-	-	-	-
Eksternal					
Inquery	Journal calculations			$3 \ge 5 = 15$	15
	Budget calculation			$3 \ge 5 = 15$	15
	The calculation of the ledger			$3 \ge 5 = 15$	15
	Balance sheet calculation			$4 \ge 5 = 20$	20
	Tax calculation			$4 \ge 5 = 20$	20
	Calculation of financial statements			$4 \ge 5 = 20$	20

 Table 2. Giving Complexity Values.

Here is the accumulation of the results of the calculation of the value in table 2, while the accumulated results of the calculation of the level of complexity values can be seen in table 3. Based on the calculation of complexity value in table 3, total value of CFP is 1017 points.

Explanation				Cor	nplexity	Level				Total CFP
System		Simple Medium			m					
-	А	В	C=AXB	D	Е	DXE=F	G	Н	I=GXH	CFP=C+F+I
Input	39	3	117	17	4	68	27	5	135	320
Output	24	3	72	10	4	40	36	6	216	328
Query	-	-	-	-	-	-	21	5	105	105
Online										
File Logic				12	7	84	12	15	180	264
Interface	-	-	-	-	-	-	-	-	-	-
Eksternal										
									Total CFP	1017

 Table 3. Calculation of Complexity Level Values.

## 3.3. Calculating Relative Complexity Adjusment Factor (RCAF)

Relative Complexity Adjustment Factor (RCAF) is calculated based on the overall complexity of the system. RCAF is calculated using 14 General System Characteristic (GSC), where GSC scales zero up to five. The zero scale shows no effect and the scale of five indicates a broad influence on the whole project. GSC calculation serves to calculate the conclusions of complexity in which there are 14 points characteristics of the software system [9]. A scale assessment of zero to five is given to each of the most influential characteristics of the required development effort.

The 14 criteria for GSC calculation are as number one the level of data communication complexity: the level of communication needs directly between applications and processors. Number two the level of data processing complexity: the level of data transfer needs between application components.Number tree level of performance complexity: the level of response time and throughput to consider in application development. Number four level of configuration complexity: the level of need where the computer configuration settings affect the application development. Number five the system user frequency level: the level of business transaction speed that affects application development. Number six data input frequency level: the level of need for interactive data pengimputan. Number seven level of ease of use for the user: level of ease of use of the application. Number eight data frequency update rate: ILF requirement level is updated online.Number nine the level of complexity of data processing: the difficulty level of process logic affecting the development process. Number ten the level of possible reuse / reusable program code: the level of application needs and application program code designed and developed to be used in other applications. Number eleven level of ease of installation: the level of ease of conversion to new systems that affect the development process. Number twelve level of operasinal ease of software (backup, recovery, etc.): level of ease of application in operational aspects, such as start-up, backup, and recovery process. Number thirteen the level of software is made for multiple organizations / companies / clients: the level of application needs can be operationalized in different hardware and software environments and number fourteen level of complexity in following change / flexibility: Level of ease of application for process logic modification and data structure.

The assessment of the complexity of 14 criteria for GSC calculations has a scale of zero to five where the value is zero = no effect, 1 = insidential, 2 = moderate, 3 = average, 4 = significant and 5 = essential. The results of the assessment of system complexity using GSC can be seen in table 4. By using the 14 GSC criteria as in table 4, the RCAF score in table 5 shows 66 points.

No General System Characteristic (GSC)	Value of Interest
1 The level of data communication complexity	5
2 The level of complexity of data processing	5
3 Level of performance complexity	5
4 The level of configuration complexity	5
5 Software user frequency level	5
6 Data input frequency level	4
7 Level of ease of use for the user	4
8 Data frequency update rate	4
9 The level of complexity of data processing	4
10 Level of possible reuse / reusable program cod	5
11 Level of ease in installation	4
12 Level of ease of operasinal software (backup, recovery, etc.)	4
13 The software level is made for multiple organizations / companies / clients	5
14 Level of complexity in following changes / flexible	3
Total RCAF	66

Table 4. Calculation of General Charakteristic System (GSC).

## 3.4. Calculating Function Point (FP)

After performing GSC calculations the last step in calculating the complexity of a project is to calculate the function point (FP) [10][11][12]. Function point value for Online Test system can be calculated using the following formula: FP = CFP \* (0.65 + 0.01 \* RCAF)Obtained function poin

nt value as follows: 
$$FP = 1017 * (0.65 + 0.01 * 66)$$

Based on the calculation of the function point, the estimated complexity obtained for the Online Testing System project is 1332.27, then based on table 1 of the Online Exam System Project included into the Complex project category as more than 700 points.

#### 3.5. Estimated Cost and Project Time

After going through several stages Function Point calculation, then obtained the total point function value of 1332.27 points and obtained calculation of the estimated time required to finish the project as follows [13]: Estimate Time = Total Function Point / (Number Of Developers x 6 Fuction Point)

Estimate Time =  $1332,27 / (9 \ge 6)$ 

$$= 24,67$$
 Week  $= (25$  Week)

As for the estimated cost can be calculated by multiplying labor rates per week multiplied by the estimated amount of time. The calculation of the estimated cost required for the completion of the project as follows: Estimate Cost = labor rates x the estimated amount of time

Estimate Cost 
$$= 7.500.000 \times 25$$

= 187.500.000.-

Based on the calculation of the function point obtained the level of project complexity and the estimated cost and time required for completion of the project. In the Online Exam System project that has been calculated the value of function pointnya can be concluded that CV.XYZ targeting the cost and time of the work is too low where the targeted cost of 150,000,000 with a working time of 5 months., If calculated by the method function point obtained cost estimates amounting to 187,500,000 and the estimated time of completion of the project for 25 weeks. From the calculation, the cost difference is 37,500,000 and the difference of working time is 5 weeks.

## 3.6. Results and Differences With Previous Research

In this study, researchers concluded that the development of public service applications have differences with the complexity factor that has been determined by Albrecht since 1983. Along with the development of technology, that the complexity factor is not only measured by the complexity of a system, but also pay attention to the cost and time of execution in the development of the system.

### 4. Conclusion

There are several conclusions obtained from the results of this study,the complexity of the project is either simple, medium or complex, can estimate the cost of the project so that the offer is not too high or too low and can estimate the time of project work so that not too fast or too long in project completion.


## 5. Acknowledgements

Authors acknowledged CV.XYZ for supporting data this research and thanks also to friends in the department of Informatics Engineering UNIKOM for advice and criticism.

## References

- [1] Heryanto I, Triwibowo T, 2016, "Manajemen Proyek Berbasis Teknologi Informasi". Informatika Bandung, Revisi Kedua
- [2] Ervianto, W, I. 2005, "Manajemen Proyek Konstruksi", Yogyakarta : Andi
- [3] Mittal, H., Bhatia, P.,2002, "A Comparative Study of Convertional Effort Estimation and Fuzzy Effort Estimation Based On Triangular Fuzzy Numbers", International Journal Computer Science Security., (4), pp. 36-47.
- [4] Gramus, D. Dan Herron, D.,1996, "Measuring the Software Process A Practical Guide to Functional Measurements", Yourdon Press, Prentice Hall, New Jersey, US.
- [5] Albrecht, A. e. J. G., 1983, "Software Function, Source Lines of Code, and Development Effort Prediction: A Software Science Validation", IEEE Transaction on Software Engineering, Vol.9, no. 6.
- [6] Aguiar, M., 2009, "Function Points or Use Case Points?", IFPUG Metricviews Summer, pp.14-15.
- [7] Balaji, N., Shivakumar and Ananth, A.A., 2013, "Software Cost Estimation Using Function Point With Non Algorithmic Approach", Global Journal of Computer Science and Technology Software 7 Data Engineering, Vol. 13, no.8, pp. 1-6.
- [8] Dewi, R., Sholiq and Subriadi, A. P., 2017, "A Modification Complexity Factor in Function Points Method for software Cost Estimation Towards Public Service Application", in 4<sup>th</sup> Information Systems International Conference (Draft), Bali.
- [9] IEEE, 2000, IEEE Std 1061-1998, 2009, "Standart for Software Quality Metrics Methodology", The Institute of Electrical and Electronics Engineers, New York, US. Agustus.
- [10] Caldiera, G., Antoniol, G., Fiuterm, R. Dan Lokan, C.,1998, "Definition and Exerimental Ecaluation of Function Points for Object-Oriented systems", Preceedings of The Fifth International software Metrics symposium, California, US.
- [11] Cantono G., Pace D., dan Calavaro G., 2004, "Applying Function Point to Unified Modeling Language: Conversion Model and Pilot Study", In Proceeding 10<sup>th</sup> International Symposium on Software Metrics (METRICS'04).
- [12] Benton, A., Bradly, M, 1999, The International Function Point User Group (IFPUG) in Function Point Counting Practices manual – release 4.2'. (SA).
- [13] Schatzberg, D.R., 1993, "Total Quality Management for Maintenance Process Improvement",

Journal Software Maintenance, Res. Pract., 5, (1), pp. 1-12.



Thank you, and we hope to work with you again soon.

Anete Ashton, Conference Commissioning Editor Journal of Physics: Conference Series jpcs@iop.org

## **IOP**science

IOP Publishing Ltd, Temple Circus, Temple Way, Bristol BS1 6HG a registered company in England and Wales under company number 00467514.

For information about how we use your personal data, please see our privacy policy.