

E-Commerce

2 SKS | Semester 7 | UNIKOM

Nizar Rabbi Radliya
nizar@email.unikom.ac.id

Lesson 2

PHP : Variable, Constant, Data Type, Operator





PHP Variables

A variable can have a short name (like `x` and `y`) or a more descriptive name (`age`, `carname`, `total_volume`).

Rules for PHP variables:

- A variable starts with the \$ sign, followed by the name of the variable
- A variable name must start with a letter or the underscore character
- A variable name cannot start with a number
- A variable name can only contain alpha-numeric characters and underscores (A-z, 0-9, and _)
- Variable names are case-sensitive (`$age` and `$AGE` are two different variables)





Creating (Declaring) PHP Variables

```
<?php  
$merk = "Adidas Superstar";  
$price = 800000;  
?>
```



Output Variables

```
<?php  
$merk = "Adidas Superstar";  
$price = 800000;  
  
echo "Nama Produk = $merk";  
echo <br>;  
echo "Harga Produk = Rp. ". number_format($price, 0 , ' ' , ',' );  
?>
```



PHP Constants

- Constants are like variables except that once they are defined they cannot be changed.
- A valid constant name starts with a letter or underscore (no \$ sign before the constant name).



Syntax Constants

```
define(name, value, case-insensitive)
```

Parameters:

- **name:** Specifies the name of the constant
- **value:** Specifies the value of the constant
- **case-insensitive:** Specifies whether the constant name should be case-insensitive. Default is false





Creating (Declaring) PHP Constants

```
<?php  
define ("PI", 3.14);  
echo PI;  
?>
```





Creating (Declaring) PHP Constants

```
<?php  
define ("PI", 3.14, true);  
echo pi;  
?>
```



PHP Data Types

Variables can store data of different types, and different data types can do different things.

PHP supports the following data types:

- String
- Integer
- Float (floating point numbers - also called double)
- Boolean
- Array
- Object
- NULL
- Resource

The PHP ***var_dump()*** function returns the data type and value





PHP Operators

Operators are used to perform operations on variables and values.

PHP divides the operators in the following groups:

- Arithmetic operators
- Assignment operators
- Comparison operators
- Increment/Decrement operators
- Logical operators
- String operators
- Array operators

Learn more: https://www.w3schools.com/php/php_operators.asp





PHP Arithmetic Operators

The PHP arithmetic operators are used with numeric values to perform common arithmetical operations, such as addition, subtraction, multiplication etc.

| Operator | Name | Example | Result |
|----------|----------------|--------------|-------------------------------------|
| + | Addition | $\$x + \y | Sum of $\$x$ and $\$y$ |
| - | Subtraction | $\$x - \y | Difference of $\$x$ and $\$y$ |
| * | Multiplication | $\$x * \y | Product of $\$x$ and $\$y$ |
| / | Division | $\$x / \y | Quotient of $\$x$ and $\$y$ |
| % | Modulus | $\$x \% \y | Remainder of $\$x$ divided by $\$y$ |



Syntax Arithmetic Operators

```
<?php
```

```
$harga_satuan      = 15000;
```

```
$jumlah_barang    = 2;
```

```
$harga_bayar      = $harga_satuan * $jumlah_barang;
```

```
echo "Harga Bayar : ". $harga_bayar;
```

```
?>
```





PHP Assignment Operators

The PHP assignment operators are used with numeric values to write a value to a variable. The basic assignment operator in PHP is "=". It means that the left operand gets set to the value of the assignment expression on the right.

| Assignment | Same as... | Description |
|------------|--------------|---|
| $x = y$ | $x = y$ | The left operand gets set to the value of the expression on the right |
| $x += y$ | $x = x + y$ | Addition |
| $x -= y$ | $x = x - y$ | Subtraction |
| $x *= y$ | $x = x * y$ | Multiplication |
| $x /= y$ | $x = x / y$ | Division |
| $x \% = y$ | $x = x \% y$ | Modulus |



Syntax Assignment Operators

```
<?php
```

```
$stock = 20;
```

```
$stock += 100;
```

```
echo $stock;
```

```
?>
```





PHP Comparison Operators

The PHP comparison operators are used to compare two values (number or string).

| Operator | Name | Example | Result |
|----------|--------------------------|-------------------------------|---|
| == | Equal | <code>\$x == \$y</code> | Returns true if \$x is equal to \$y |
| === | Identical | <code>\$x === \$y</code> | Returns true if \$x is equal to \$y, and they are of the same type |
| != | Not equal | <code>\$x != \$y</code> | Returns true if \$x is not equal to \$y |
| <> | Not equal | <code>\$x <> \$y</code> | Returns true if \$x is not equal to \$y |
| !== | Not identical | <code>\$x !== \$y</code> | Returns true if \$x is not equal to \$y, or they are not of the same type |
| > | Greater than | <code>\$x > \$y</code> | Returns true if \$x is greater than \$y |
| < | Less than | <code>\$x < \$y</code> | Returns true if \$x is less than \$y |
| >= | Greater than or equal to | <code>\$x >= \$y</code> | Returns true if \$x is greater than or equal to \$y |
| <= | Less than or equal to | <code>\$x <= \$y</code> | Returns true if \$x is less than or equal to \$y |



Syntax Comparison Operators

```
<?php  
$username1 = "admin";  
$username2 = "admin";  
  
var_dump($username1 == $username2); // returns true because values are equal  
?>
```





PHP Increment / Decrement Operators

The PHP increment operators are used to increment a variable's value.

The PHP decrement operators are used to decrement a variable's value.

| Operator | Name | Description |
|--------------------|----------------|--|
| <code>++\$x</code> | Pre-increment | Increments <code>\$x</code> by one, then returns <code>\$x</code> |
| <code>\$x++</code> | Post-increment | Returns <code>\$x</code> , then increments <code>\$x</code> by one |
| <code>--\$x</code> | Pre-decrement | Decrements <code>\$x</code> by one, then returns <code>\$x</code> |
| <code>\$x--</code> | Post-decrement | Returns <code>\$x</code> , then decrements <code>\$x</code> by one |





Syntax Increment / Decrement Operators

```
<?php  
$x = 10;  
echo ++$x; //result 11  
echo "<br/>";  
$x = 10;  
echo $x++; //result 10  
?>
```





PHP Logical Operators

The PHP logical operators are used to combine conditional statements.

| Operator | Name | Example | Result |
|----------|------|-------------|---|
| and | And | \$x and \$y | True if both \$x and \$y are true |
| or | Or | \$x or \$y | True if either \$x or \$y is true |
| xor | Xor | \$x xor \$y | True if either \$x or \$y is true, but not both |
| && | And | \$x && \$y | True if both \$x and \$y are true |
| | Or | \$x \$y | True if either \$x or \$y is true |
| ! | Not | !\$x | True if \$x is not true |



Syntax Logical Operators

```
<?php
$type = "member";
$poin = 100;

if ($type == "member" and $poin == 100) {
    echo "Selamat Anda Mendapatkan Potongan Harga.";
}
?>
```





PHP String Operators

PHP has two operators that are specially designed for strings.

| Operator | Name | Example | Result |
|-----------------|--------------------------|-------------------------------|--|
| . | Concatenation | <code>\$txt1 . \$txt2</code> | Concatenation of <code>\$txt1</code> and <code>\$txt2</code> |
| <code>.=</code> | Concatenation assignment | <code>\$txt1 .= \$txt2</code> | Appends <code>\$txt2</code> to <code>\$txt1</code> |



Syntax String Operators

```
<?php  
$first_name = "Budi";  
$last_name  = "Raharjo";  
$first_name .= $last_name;  
echo $first_name; // result Budi Raharjo  
?>
```





PHP Array Operators

The PHP array operators are used to compare arrays.

| Operator | Name | Example | Result |
|----------|--------------|-------------------------------|---|
| + | Union | <code>\$x + \$y</code> | Union of <code>\$x</code> and <code>\$y</code> |
| == | Equality | <code>\$x == \$y</code> | Returns true if <code>\$x</code> and <code>\$y</code> have the same key/value pairs |
| === | Identity | <code>\$x === \$y</code> | Returns true if <code>\$x</code> and <code>\$y</code> have the same key/value pairs in the same order and of the same types |
| != | Inequality | <code>\$x != \$y</code> | Returns true if <code>\$x</code> is not equal to <code>\$y</code> |
| <> | Inequality | <code>\$x <> \$y</code> | Returns true if <code>\$x</code> is not equal to <code>\$y</code> |
| !== | Non-identity | <code>\$x !== \$y</code> | Returns true if <code>\$x</code> is not identical to <code>\$y</code> |



Syntax Array Operators

```
<?php
```

```
$x = array("a" => "red", "b" => "green");  
$y = array("c" => "blue", "d" => "yellow");
```

```
print_r($x + $y); // union of $x and $y
```

```
?>
```





Case 1 – AK2

Buatlah program php yang didalamnya terdapat beberapa variable untuk menyimpan data konsumen, sebagai berikut:

| | |
|----------------|--|
| Nomor Konsumen | = 101 |
| Nama Konsumen | = Rudi Saputra |
| Nomor HP | = 082190807066 |
| Email | = rudis@email.com |
| Saldo | = Rp. 350.000 |

Semua variable harus ditampilkan pada browser.





Case 2 – AK2

Buatlah program php untuk menghitung biaya transaksi sebagai berikut;

Daftar barang yang dibeli:

2 buku Pemrograman Web dengan harga 50.000/buku

3 buku Akuntansi dengan harga 70.000/buku

Keterangan: terdapat potongan harga 10% (nilai potongan tidak akan berubah) dari total harga bayar.



Case 1 – AK3

Buatlah program php yang didalamnya terdapat beberapa variable untuk menyimpan data pengiriman, sebagai berikut:

| | |
|------------------|-------------|
| Nomor Pengiriman | = 312 |
| Jasa Pengiriman | = JNE |
| Tujuan | = Cimahi |
| Kode Pos | = 40534 |
| Biaya | = Rp. 7.000 |

Semua variable harus ditampilkan pada browser.





Case 2 – AK3

Buatlah program php untuk menghitung biaya pengiriman sebagai berikut;

Daftar pengiriman:

1 unit Laptop Asus (4kg/unit)

2 unit Printer (1kg/unit)

dari Bandung ke Tasikmalaya, ongkos kirim 9.000/kg

Keterangan: terdapat potongan ongkos 10% (nilai potongan tidak akan berubah) dari total ongkos kirim.





Case 1 – AK4

Buatlah program php yang didalamnya terdapat beberapa variable untuk menyimpan data pesanan, sebagai berikut:

| | |
|-------------------|-----------------------|
| Kode Pesanan | = P0918001 |
| Waktu Pesanan | = 28/09/2018 13:00:00 |
| Metode Pembayaran | = Transfer BCA |
| Pengiriman | = J&T Reguler |
| Total Bayar | = Rp. 150.000 |

Semua variable harus ditampilkan pada browser.



Case 2 – AK4

Buatlah program php untuk menghitung biaya transaksi sebagai berikut;

Daftar barang yang dibeli:

3 flash disk dengan harga 60.000/unit

4 mouse pad dengan harga 15.000/unit

Keterangan: terdapat potongan harga 15% (nilai potongan tidak akan berubah) dari total harga bayar.



Case 1 – AK5

Buatlah program php yang didalamnya terdapat beberapa variable untuk menyimpan data promosi, sebagai berikut:

| | |
|-----------------|---------------|
| ID Promosi | = P18012 |
| Nama Promosi | = Kemerdekaan |
| Periode Promosi | = Agustus |
| Kode Promosi | = merdeka64 |
| Total Potongan | = Rp. 64.000 |

Semua variable harus ditampilkan pada browser.





Case 2 – AK5

Buatlah program php untuk menghitung biaya pengiriman sebagai berikut;

Daftar pengiriman:

4 unit Smartphone (500gr/unit)

2 unit Power Bank (1kg/unit)

dari Bandung ke Cimahi, ongkos kirim 7.000/kg

Keterangan: terdapat potongan ongkos 15% (nilai potongan tidak akan berubah) dari total ongkos kirim.



NEXT:

PHP Conditional

