

- [Home](#)
- [Editorial Board](#)
- [Submit a paper](#)
- [Indexing and Awards](#)
- [Reviewers](#)
- [Articles in Press](#)
- [Publication Ethics](#)
- [Archives](#)

JESTEC
Journal of Engineering
Science and Technology



WEB OF SCIENCE™



- **Editor-in-Chief**
Assoc Prof Dr Abdulkareem Sh. Mahdi Al-Obai
Taylor's University, Malaysia
- [Editorial Board](#)

Journal of Engineering Science and Technology (JESTEC) indexed by [SCOPUS](#) since 2010.

Journal of Engineering Science and Technology has been selected for coverage in [Clarivate Analytics products and services](#).

Beginning with 2016, this publication will be indexed abstracted in:

[Emerging Sources Citation Index \(ESCI\)](#)

ISSN: 1823-4690

Aims and Scope

JESTEC (Journal of Engineering Science and Technology) is a peer-reviewed journal that aims to publish and disseminate original research articles latest developments in all fields of engineering science and technology. The journal publishes original papers in English, which contribute to underest engineering science and improving engineering technology and education. The articles may be theoretical (including computational), experime both. The contribution should be unpublished before and not under consideration for publication elsewhere.

JESTEC maintains a standard double-blind peer-review process. The double-blind process means that the author and the reviewer's ident not known to each other.

JESTEC is an Open Access journal and does not charge readers or their institutions to access the journal articles. Open access supports rights to read, download, copy, distribute, print, search, or link to these articles' full texts, provided they are properly acknowledged and cite

JESTEC publishes six issues per year.

The publication fees in JESTEC include submission, reviewing, editing, publishing, and uploading the accepted article to the JESTEC websit all these services, JESTEC charges USD375 or MYR1550 per paper (inclusive 6% SST). The number of pages per paper should be a minimu pages and a maximum of 15-18 pages.

Subscriptions and enquiries

Contact the [Executive Editor](#)

Aims & Scope

[Home](#)

[Editorial Board](#)

[Submit a paper](#)

[Indexing and Awards](#)

[Reviewers](#)

[Articles in Press](#)

[Publication Ethics](#)

[Archi](#)



Volume 17, Issue 4, August 2022

Pages 2254 – 3011

[Modification of extramedullary guide for tibial cut in total knee replacement surgery in internal tibial torsion](#)

U. R. Khairy, S. J. Hamandi, A. S. A. Ali

2254 – 2271

[An innovative automatic tomato grafting machine prototype](#)

G. Belforte, T. Raparelli, G. Eula, S. Sirolli

2272 – 2286

[Optimization-based method for estimating the transmission rate of Covid-19 during the lockdown in Malaysia](#)

A. Alsayed, M. O. A. Aqel, R. Kamil, H. Sadir, A. Abuzaizer, K. A. Alezabi, H. Sari

2287 – 2298

[Performance analysis of evacuated tube collector based solar heat for industrial process \(ship\) system in Malaysian climate](#)

M. A. Akbar, M. M. Rashid, A. H. B. Embong, A. J. B. H. Mohideen, M. N. Akhter

2299 – 2314

[The customized 1D CNN for sensor-based human activity recognition using various benchmark datasets](#)

S. Ankalaki, M. N. Thippeswamy

2315 – 2335

[The effect of addition of rubbing ash and corncob ash biomass on the mechanical properties of paving blocks](#)

S. Anggraeni, A. B. D. Nandiyanto, Z. N. Ainsiyifa, D. Trianadewi, H. Y. Abadi, N. N. Azizah, D. F. Al Husaeni, A. Siswanto

2336 – 2345

[Key competencies as a tool of designers interdisciplinary cooperation in digital age](#)

T. Chochole

2346 – 2361

[Indoor location estimation using the received signal strength indicator of Wi-Fi access point](#)

R. Muthalagu, S. Fernandes, D. Duseja

2362 – 2372

[Deep learning-based fine-grained automated pneumonia detection model](#)

K. Rangasamy, N. S. M. Fuzi, M. A. As'ari, N. A. Rahmad, N. A. J. Sufri

2373 – 2389

[Mechanical properties of sawdust and rice husk brake pads with variation of composition and particle size](#)

S. Anggraeni, A. N. Anshar, A. Maulana, S. Nurazizah, Z. Nurjihan, S. R. Putri, A. B. D. Nandiyanto
2390 – 2401

[Use density functional theory to study the physical properties of hydroxychloroquine](#)

H. M. Jawad, A. M. Kadhim
2402 – 2411

[Numerical investigation of diesel engine performance operated in dual fuel phase with increasing syngas diesel addition ratio and lambda value of 1](#)

H. A. Mahmood, A. O. Al-Sulttani, A. I. Mosa
2412 – 2430

[Nonlinear neural PID controller for depressing fluctuation of curved beam subjected to different load conditions](#)

W. S. Aboud, H. S. A. Al-Amir, H. S. Jaber
2431 – 2446

[Isotherm adsorption of 3000- \$\mu\text{m}\$ natural zeolite](#)

A. B. D. Nandiyanto, S. R. Putri, S. Anggraeni, T. Kurniwan
2447 – 2460

[Numerical vibration analysis of the dam sector gate structure with consideration to material degradation characteristics](#)

M. H. M. Ghazali, A. Z. A. Mazlan, M. A. Azman, M. H. Zawawi
2461 – 2475

[Rejection of wing-rock motion in delta wing aircrafts based on optimal LADRC schemes with butterfly optimization algorithm](#)

A. I. Abdul-Kareem, A. F. Hasan, A. Al-Qassar, A. J. Humaidi, R. F. Hassan, I. K. Ibraheem, A. T. Azar
2476 – 2495

[Adsorption of copper ions onto rice husk activated carbon prepared using ultrasound assistance: optimization based on step-by-step single variable knockout technique](#)

A. Muslim, E. Purnawan, Nasrullah, H. Meilina, M. Y. Azwar, N. O. Deri, A. Kadri
2496 – 2511

[Natural zeolite as the reinforcement for resin-based brake pad using dual particle size](#)

A. B. D. Nandiyanto, S. R. Putri, T. Kurniwan
2512 – 2524

[Simulation and designing of three-stack GAN HEMT power amplifier for 2-6 GHz bandwidth](#)

S. Sharma, V. Kumar, S. S. Sharma
2525 – 2544

[New H-bridge based multilevel CSI using inductor-cell and current-module methods](#)

Suroso
2545 – 2555

[A modified method for selecting singular values in image compression using singular value decomposition](#)

S. K. Ahmed
2556 – 2566

[Planning and implementing the redevelopment of Volve field, Norwegian north sea using knowledge discovery in databases data mining and numerical simulation techniques](#)

A. E. Mcallister, L. Akanji
2567 – 2593

[Effect of flow rate and recirculation on the flotation process in removing fat, oil, grease, and solid](#)

E. N. Hidayah, W. Rahmawati, O. H. Cahyonugroho, F. Rizqa, K. N. Wahyusi
2594 – 2601

[A low latency scheme for securing OFDM-based communications](#)

O. A. L. A. Ridha, G. N. Jawad
2602 – 2614

[Chemical influence of magnesium oxide on the engineering properties of clayey soils used as road subgrade](#)

A. M. Mosa, L. A. Salem, Q. S. Banyhussan
2615 – 2630

[Design of enterprise information system using TOGAF framework for public service agency](#)

H. Saputra, I. Gustiana, E. S. Soegoto
2631 – 2649

[Synthesis of porous geopolymers using burnout materials for the removal of anionic surfactant from aqueous solution](#)

A. Hamza, A. A. Siyal, M. R. Shamsuddin, S. Z. J. Zaidi, S. U. Hassan, C. Harito
2650 – 2657

[Investigation about the optimum alternative of polypropylene fibers in conventional concrete](#)

Z. H. Mahdi, M. M. Kadhum, M. R. Abdulghani, G. R. Abdulghani, D. A. Hwaii
2658 – 2670

[Effective energy management of islanded microgrids using state of charge approach of energy storage systems](#)

H. V. P. Nguyen, V. T. Nguyen, L. Nguyen-Dinh, B. N. Nguyen, D. M. D. Truong
2671 – 2687

[Effect of inadequate lap splice length on the seismic fragility of bare RC frames](#)

M. Bavan, M. Vafaei, S. C. Alih
2688 – 2706

[Structural behavior of SCC beams using inclined steel plates for shear reinforcement](#)

A. M. Ibrahim, Z. S. M. Khaled, A. A. Mansor
2707 – 2719

[Internet of things based irrigation monitoring system](#)

E. S. Soegoto, A. A. Rafdhi, D. Oktafiani, R. Jumansyah
2720 – 2732

[The evaluation of the level of electronic readiness in the experts' point of view \(A case of financial institution study\)](#)

H. Kardanmoghaddam, A. Rajaei, F. Gideski
2733 – 2749

[Performance and first-order modelling of biodiesel as fuel for domestic space heaters in Jordan](#)

J. Yamin, Z. Al-Hamamre, A. Sandouqa
2750 – 2764

[Evaluation of the properties of poly-methyl methacrylate reinforced with titanium dioxide for denture application](#)

A. A. Mohammed
2765 – 2775

[Decoding of turbo code and polar code using deep learning for visible light communication](#)

A. C. Vaz, C. G. Nayak, D. Nayak, N. T. Hegde
2776 – 2787

[Design of heat exchanger for the production of carbon particles](#)

A. B. D. Nandiyanto, S. R. Putri, R. Ragadhita, T. Kurniawan

2788 – 2798

[The performance evaluation of electronic visual tracking algorithms with different sensors](#)

S. H. Raheemah, A. S. Khusheef, Q. H. Hassan, R. F. Chisab

2799 – 2811

[Behavior investigation of reinforced concrete half-joint structure supports steel section under monotonic and repeated loads](#)

K. A. Ibrahim, B. J. Al-Sulaivany, S. Y. Al-Darzi

2812 – 2826

[Bio-inspired robotic locomotion model: Response towards food gradient changes and temperature variation](#)

R. Kamarudin, M. M. Ibrahim, M. N. S. Zainudin, R. H. Ramlee

2827 – 2845

[Investigation of graphene oxide-based nanocomposite coating rupture strength on titanium alloy by tensile test for orthopedic implant](#)

F. Triawan, M. J. Surya, M. Handayani, A. B. D. Nandiyanto

2846 – 2860

[Laboratory evaluation of the mechanical performance of hot mix asphalt modified with ceramic waste powder as filler](#)

A. M. Ali

2861 – 2876

[A collision resistance SHA-1 based on a pseudo-random sequence generator for authentication protocol](#)

A. Y. Yousuf, T. S. Atia

2877 – 2890

[ICA learning approach for predicting of RNA-SEQ malaria vector data classification using SVM kernel algorithms](#)

M. O. Arowolo, S. O. Abdulsalam

2891 – 2903

[The NO_x reduction performances of a marine diesel engine using steam induction method for blended palm oil methyl ester fuel](#)

S. A. Ali, A. A. Bakar, C. W. M. N. C. W. Othman, K. Samo, M. N. K. Jarkoni, W. N. W. Mansor, M. R. Zoofakar

2904 – 2918

[Continuous speech segmentation using dynamic thresholding of short-term features](#)

S. N. Endah, N. Fadlilah, R. Kusumaningrum, S. Adhy

2919 – 2935

[The cognitive stages of memory in the architectural product: comparison of mental and spiritual knowledge in the products of architecture students](#)

S. M. Hamza

2936 – 2957

[Numerical investigation of office room ventilation by adopting displacement ventilation and chilled ceiling system in a hot and dry climate](#)

A. A. Shbeeb, A. A. Mahdi, A. K. Hussein

2958 – 2982

[The effect of adding nanoparticles on the mechanical properties of acrylic removable denture](#)

N. K. Abd-Ali

2983 – 2996

[Influence of cyclic loading to the post-cyclic shear strength behaviour of peat soil](#)

H. M. Mohamad, Z. Adnan, N. A. Hassan

2997 – 3011



Editorial Board

[Home](#)

[Editorial Board](#)

[Submit a paper](#)

[Indexing and Awards](#)

[Reviewers](#)

[Articles in Press](#)

[Publication Ethics](#)

[Archives](#)

Editor-In-Chief

- **Abdulkareem Shafiq Mahdi Al-Obaidi**, Ph.D.
Associate Professor, School of Computer Science and Engineering
Faculty of Innovation and Technology
Taylor's University
Taylor's Lakeside Campus
No. 1 Jalan Taylor's, 47500 Subang Jaya
Selangor DE
Malaysia

Editors

- **G. Davies**, Ph.D.
Professor, Dean, Faculty School of Engineering
The University of New South Wales
UNSW Sydney
NSW 2052
Australia
- **Rodney Chaplin**, Ph.D.
Associate, Professor, Associate Dean (International)
Faculty of Engineering
The University of New South Wales
UNSW Sydney
NSW 2052
Australia
- **Andrew Ooi**, Ph.D.
Associate, Professor, Assistant Dean (International)
School of Engineering
The University of Melbourne
Victoria 3010
Australia
- **David WL Hukins**, Ph.D.
B.Sc., Ph.D. (London), D.Sc. (Manchester), C.Phys., F.Inst.P., F.I.P.E.M., F.R.S.E.
Professor of Bio-medical Engineering
Head of Mechanical and Manufacturing Engineering
School of Engineering
Mechanical Engineering
The University of Birmingham
Edgbaston
Birmingham
B15 2TT
United Kingdom
- **Takayuki Saito**, Ph.D.
Professor, Shizuoka University
Graduate School of Science and Engineering
3-5-1 Johoku
Hamamatsu
Shizuoka 432-8561
Japan
- **S. B. Chin**, Ph.D.
Professor, The University of Sheffield
Mechanical Engineering Department
Mappin Street, Sheffield
S1 3JD,
United Kingdom
- **Xiaoyu Luo**, Ph.D.
Professor, Department of Mathematics
University of Glasgow
Glasgow G12 8QW
- **Stephen B M Beck**, Ph.D.
Professor in Mechanical Engineering
Faculty Director of Learning and Teaching – Engineering
Department of Mechanical Engineering

The University of Sheffield
Mappin Street
Sheffield
S1 3JD
United Kingdom

- **Xiao (Yun) Xu**, Ph.D.
Professor of Biofluid Mechanics
Department of Chemical Engineering
Imperial College
London
United Kingdom
- **Seeram Ramakrishna**, Ph.D.
Professor, Dean, Faculty of Engineering
Dean's Office, Block EA, #07-26
9 Engineering Drive 1,
National University of Singapore,
Singapore 117576
- **Ramesh Singh Kuldip Singh**, Ph.D.
Senior Professor of Mechanical and Materials Engineering
Faculty of Engineering
University of Malaya, 50603 Kuala Lumpur, Malaysia
Universiti Teknologi Brunei, BE1410 Gadong, Brunei Darussalam
- **Gary Hawley**, Ph.D.
Professor of Automotive Engineering
Dean and Medlock Chair of Engineering,
Faculty of Engineering and Design
University of Bath,
Claverton Down, Bath BA2 7AY
United Kingdom
- **Yousif Abdall Abakr**, Ph.D.
School of Mechanical Engineering
The University of Nottingham, Malaysia Campus
Jalan Broga, 43500 Semenyih, Selangor
Malaysia
- **R. Rajesh @ Nithyanandam**, Ph.D, PGChETL, MICHEM
Professor, Department of Chemical Engineering
Mohamed Sathak Engineering College
Kilakarai, Tamil Nadu
(Affiliated to Anna University)
India
- **Chong Perk Lin**, Ph.D, PgCLTHE, FHEA, CEng, MIMechE
Senior Lecturer of Mechanical Engineering
Programme Leader of BEng Tech (Hons) Mechanical Engineering
School of Computing, Engineering and Digital Technologies
Teesside University, Middlesbrough, Tees Valley. TS1 3BX.
United Kingdom.

INTERNET OF THINGS BASED IRRIGATION MONITORING SYSTEM

EDDY SOERYANTO SOEGOTO¹, AGIS ABHI RAFDHI²,
DINA OKTAFIANI³, RIZKY JUMANSYAH^{4,*}

¹Departemen Manajemen, Universitas Komputer Indonesia, Indonesia

^{2,4}Departemen Sistem Informasi, Universitas Komputer Indonesia, Indonesia

³Departemen Sastra Inggris, Universitas Komputer Indonesia, Indonesia

*Corresponding Author: rizkyjuman@gmail.com

Abstract

This study aims to monitor the sustainability of the irrigation system through a smartphone application. This research method used primary and secondary data collection methods, supported by quantitative descriptive analysis and prototyping design. The research result is an application design that is easy to understand and use in regular irrigation system monitoring activities. Based on the design, results show that the design of the application display is equipped with information features of water quality, water level, water discharge, and irrigation gate location points. Therefore, this research is examined regarding the constraints when monitoring agricultural irrigation, agricultural irrigation systems, and the needs of farmers in the application design used. The design of this irrigation system application is expected to help farmers increase agricultural production to support the concept of a green economy in the agricultural sector.

Keywords: IoT; Irrigation; Monitoring system.

1. Introduction

The green economy is the concept of knowledge-based economic development and technology related to resources and the sustainability of ecosystems to minimize the environmental impact due to economic activity [1]. In addition, to the potential for the sustainability of ecosystems, the concept of the green economy is expected to provide economic development opportunities, especially for all humans' welfare. The urgency of the green economy on achieving sustainable development is as a framework, means, and driver in achieving economic and environmental alignment [2]. The green economy increases sensitivity to preserving natural resources, particularly to reducing emissions and pollutants that create environmental crises [3]. Currently, the application of the green economy has been increasingly stuttered and tested by various parties. It is due to the increasing population, and industrial waste produced every day [4]. Therefore, in its implementation, technology is needed to maximize economic value and maintain the environmental sustainability. One sector that is currently optimized for the use of technology in agriculture.

Comparative studies conducted on China, India, Spain, Germany, Australia, and the U.K. found that applying technology rife in the agricultural sector is Artificial Intelligence (AI). Such technologies are considered to increase investor attractiveness in agricultural products and reduce consumption and use of resources [5]. In addition to the application of A.I. in the agricultural sector, it was found that other countries such as Ireland, France, China, the USA, Thailand, and the Philippines are implementing the Internet of Things (IoT) which is expected to be very promising to assist in decision- making through monitoring of environmental conditions [6]. Instead, they use technology in agricultural supply chain preparation activities in the form of the blockchain. It is because blockchain has revolutionary technological methods to improve the search for agricultural commodities [7].

Similarly, nanotechnology is used to improve nutrient use efficiency, reduce the impact of climate change, increase the effectiveness of pest management, and reduce the environmental impact of agricultural food production activities. Thus, the application of technology as an agricultural innovation becomes an essential factor in improving the welfare of farmers, agricultural productivity, and the economy of the food sector [8, 9]. One example of a region that started to implement technology in agriculture is Sub-Saharan Africa (SSA). SSA is currently experiencing stagnant agricultural productivity and food insecurity in low-income countries [10].

Therefore, with the lack of application of technology to irrigation systems integrated into information systems, this research was conducted to facilitate monitoring of irrigation flows by farmers to increase agricultural production and minimize crop failures. The method used in this study is a method of quantitative descriptive analysis with application design methods in the form of prototyping.

2. Literature Study

2.1. Green economy concept

The green economy has a significant role to play in the context of sustainable development and poverty alleviation. Green Economy has the concept of bringing together ideas from various fields related to sustainable development issues in economics and philosophy (feminist economics, postmodernism, ecological

economics, environmental economics, anti-globalization, international relations theory, etc.) [11,12]. The application of the green economy affects technological changes that consider the implementation of environmentally friendly strategies. Indicators that must be considered include the allocation of economic resources, environmental regulations, the creation of subsidies, environmentally friendly activities, and the optimization of the regional planning process [13].

In some countries, one of them in Russia, the concept of the green economy is applied to prepare public policies to achieve economic stability. It is formulated with special considerations, such as analysis of situations, ecological problems, and power [14]. On the other hand, in China, the preparation of green economy policies is still experiencing obstacles, especially in companies engaged in the industry. In industrial companies in China, applying the green economy concept focuses on the application of clean energy policies. Such applications are associated with socioeconomic factors such as population, gross domestic product per capita, educational attainment, sulfur dioxide emissions, and regional economic marketing [15].

In the Eurasian Economic Union (EAEU), consisting of Russia, Armenia, Belarus, Kazakhstan, and Kyrgyzstan, the transition to the green economy is carried out to solve environmental and sustainable development problems. Therefore, the concept of a green economy formulated by EAEU is an improvement in the population's quality of life and environmental situation, the renewal of the technology base, and the improvement of production efficiency and competitiveness. The procurement of renewable energy sources is a major factor in economic growth, energy resilience, and sustainable development [16].

2.2. Green economy and technology

Applying the green economy concept by integrating technology is the most critical part that must be applied in running a company. It is because the application of green economy technology and concepts can help maintain the company's competitiveness in the market and provide environmentally friendly products and services at the same time. Kazakhstan is one of the countries whose industrial activities combine the concept of a green economy and technology. It is shown from the number of 30% of the industry that applies the concept to energy production activities, waste management, and other activities [17, 18]. In the Southern African Development Community (SADC), technology plays a role in encouraging the implementation of the green economy. Information technology includes internet penetration, mobile penetration, mobile broadband, and fixed broadband [19]. Similarly, in China, green economy and technology are applied in Green Total Factor Productivity (GTFP). It is done using an econometric model and is measured by GDP per capita [20].

2.3. Technology in agriculture sector

The agricultural sector plays an essential role in food security in a country. Therefore, this sector is focused on sustainable agriculture with the use of technology in every activity. The application of agricultural technology increases added value in agricultural products and assists in product processing and irrigation [21]. Agricultural activities such as supply chain provision, agricultural insurance, smart agriculture, and agricultural commodity transactions can use blockchain technology. Blockchain is a digital record-keeping technology with a high level of

security to maintain the confidentiality of consumer data and other agricultural data [7, 22]. On the other hand, in pest detection activities, crop projection, groundwater use calculation, and plant genetics, the technology used is Artificial Intelligence (AI). Some of the productive countries implementing it are China, the United States, and India [23]. In contrast, currently, agricultural fertilizer delivery technology uses nanotechnology. Nanotechnology in the form of Nanofertilizers (NF) technology is beneficial for increasing agricultural production and resistance to the threat of biotic and abiotic environmental components [24].

2.4. Irrigation system

An agricultural irrigation system is a system of conservation of agricultural land to maintain the balance of agricultural development and food security [25]. One of today's sustainable agricultural irrigation systems is to utilize technologies such as Photovoltaic (PV) based solar irrigation pumps. In this irrigation system, PV are linked with high-efficiency irrigation systems such as drip, furrow irrigation methods, bubbler, and sprinkler [21]. In addition to photovoltaic (PV) based, other systems utilize Soil Water Content (SWC), the system uses two irrigation scheduling based on plant growth stages [26].

3. Method

This research was conducted in Cibeusi Tourism Village, West Java, Indonesia. The study used primary and secondary data sources. The primary data was conducted by direct observation of the irrigation system conducted at the research site and discussions with the tourism village managers about irrigation constraints by farmers. Secondary data were obtained from literature studies sourced from journals or agency data related to irrigation and monitoring systems, as for the application's design using prototyping.

The stages in the prototype model include [14]:

i. Identify user needs

At this stage, the process of gathering data regarding the needs of information system users is carried out, generally through direct observation and interviews.

ii. Prototype making

Following the analysis of the needs, a prototype is created directly on the basis of the results of data collection on previous needs. At this stage, it is still in the form of an initial prototype of the information system to be used as material for further discussion with users.

iii. Prototype testing

After the prototype is completed, the developer will consult with users as well as test the results of the early stages of making whether it is appropriate or still needs to be added or there are subtractions.

iv. Prototype fixing

When there is an evaluation or input from the user side, the developer needs to improve according to user requirements.

v. Prototype implementation

If the prototype has been completed and is in accordance with user requirements, the final step is to implement the system that has been designed to be used in accordance with user requirements (see Fig. 1).




Fig. 1. Stages of the prototype model.

4. Results and Discussion

4.1. Green economy in Cibeusi tourist village

Cibeusi Tourism Village is one of the villages in West Java whose majority population have livelihoods as farmers. In addition to relying on agricultural products, people also rely on the tourism sector. Cibeusi Tourism Village has natural tourism potential in beautiful village conditions, village areas, and Cibareubuy waterfall. The potential of natural tourism helps the community's economy through trade in the form of the provision of restaurants. It is in line with research conducted by Astawa et al. [27], which said that the development of tourist villages, especially in Indonesia, aims to help rural communities in advancing villages and the economy about economic, cultural, and environmental balance. As for the application of the concept of the green economy in tourist villages, it must pay attention to the region's location, socio-economic, environmental conditions, and the availability of rural infrastructure [28, 29].

In Cibeusi tourism village, the application of green economy in the form of greening agriculture and greening tourism. Greening agriculture and greening tourism Cibeusi tourist village are combined and applied simultaneously. It is shown from the percentage of land use in the village which is about 80% used as

agricultural land and tourist attractions. Cibeusi tourist village uses traditional concepts in irrigation systems and utilization of water sources.

The irrigation system in this village is managed by the village community with the help of the government. The village water source comes from three springs located in the village of Cibeusi Tourism. These water sources have different pH, temperature, ppm, and electroconductivity (ms/cm) qualities. The three springs are used based on the needs of the community, including Location 1 (to support the needs of the village water supply around it), Location 2 (for the daily life of the community), and Location 3 (for the consumption of mineral water villagers) (See Table 1).

Table 1. Water quality in Cibeusi tourist village.

No.	Location	Ph	Temperature (°C)	Ppm	Electro Conductivity (Ms/Cm)
1	Location 1	6.70	26.2	33	62
2	Location 2	5.48	27.0	36	74
3	Location 3	6.54	28.0	30	58

Based on the water quality measurement indicator (Table 1), the water quality of the three sources is classified as alkaline and for locations 1 and 3 classified as a category worthy of consumption (pH drinking water standard based on the Regulation of the Minister of Health of the Republic of Indonesia on Drinking Water Quality Requirements No. 492 / MENKES / PER / IV / 2010, ranging from 6.5 - 8.5). Conversely, if viewed based on the total content of solids in the water, the three springs can be used as drinking water containing inorganic minerals, so it requires treatment to be consumed every day [30].

The irrigation system used in Cibeusi Tourism Village for agriculture is a surface irrigation system (for agriculture) with a method of providing water in the form of flooding. Conversely, in meeting household needs, clean water needs are met using a connection method without a water meter with galvanized pipe and PVC types. In addition to utilizing this type of pipe traditionally by utilizing natural resources, the type of pipe used is bamboo.

4.2. Irrigation monitoring system

In this study, an irrigation monitoring system called ASPIRASI was designed to provide real-time data for decision-making information. The data sent by the tool will be stored in a cloud database to be then presented in applications accessed by officers. The main components of real-time water irrigation monitoring stations consist of (i) cloud and database technologies, (ii) automated sampling and on-site sensors, and (iii) laboratory analysis of representative water samples [31]. The system designed in this research is based on a mobile application to be accessible to the relevant officers and the public. Irrigation in Cibeusi tourist village is divided into 3 locations with different functions. The first location point serves as a source of water that flows throughout the river flow and irrigation. The second point serves as a flow of water for the daily needs of Cibeusi village. Meanwhile, the third point is irrigation that distributes water from Cibeusi village to the surrounding area. The following is the design of the irrigation monitoring system in Cibeusi Tourism Village (Fig. 2).



Fig. 2. Irrigation monitoring system application design (ASPIRASI).

The system can help users monitor their irrigation, from agriculture to plantations to community consumption. For agriculture, for example, the system can display the temperature and slowness around the water level without going to the place directly. Using the Internet of Things (IoT) concept, how it works can be more time-efficient. This monitoring system contains wireless sensor units placed in each location ranging from locations 1 to 3. Each location contains a temperature sensor, water level sensor, and water flow sensor that detects water discharge. In real-time, each sensor will send the latest data to the Cloud Server to be stored in the database and displayed on the application.

This monitoring system concept uses the workings of the Internet of Things (IoT) by installing specific sensors on objects that can transmit signals [32, 33]. Then the data is stored in the Cloud Server to be displayed on the application. In the application, the user can give commands to open irrigation canals or close as needed. This IoT architecture uses sensors and wireless networks connected to the IoT Gateway to store them on Cloud Server. The sensor circuit is based on the Wireless Sensor Network (WSN) with five components: Transceiver, Microcontroller, Power Supply, Memory, and Sensor [34]. The transceiver has a function as the sender or receiver of the signal of the object. The microcontroller has a task to regulate data communication between sensors installed on the object, so if one object has more than one sensor, then the microcontroller will arrange for the data transmission to function correctly. The power supply becomes the overall electric power for the WSN to function properly, usually using a battery. Memory will store temporary data that is part of the microcontroller. Sensors, which are responsible for converting from one energy to another, can be processed and transmitted to a microcontroller into data. Here is the design of the WSN constituent components (Fig. 3).




Fig 3. Wireless sensor network (WSN) component design.

The monitoring system interface here is created in the form of a display of information obtained from several sensors marketed in irrigation. The irrigation monitoring system consists of four sensors. The first sensor is a water level sensor that provides information about the level of water. The second is a temperature sensor that detects the temperature around irrigation. Third, the water flow sensor will detect the discharge of water flowing in the irrigation. Lastly, the air humidity sensor is around. ASPIRASI allows village officials to monitor and be notified if there is dangerous information related to the irrigation of Cibeusi village. People can also access this information by accessing apps only through smartphones [35, 36]. Users of this monitoring system are broadly reserved for admins who are officers from the local village. Admin has a monitoring function to get information obtained from the WSN sensor [37,38]. Figure 4 is the ASPIRASI Mobile Application Interface Design.




Fig. 4. Login page interface design and home ASPIRASI app.

To access the app, admins require signing in with a previously account. After logging in, the app will redirect to the Home page. There are four main menus of the application on this home page, namely Location, Water Quality, Water Level, and Water Debit. The Location menu will display several locations that serve as irrigation points. The water quality menu will display water quality data obtained from sensors at downstream irrigation points. Water level will display water level data if the water exceeds the maximum limit. It will provide notifications on this application. Water debit will display a real-time graph of irrigation flow water discharge. Each menu presents detailed information about irrigation parameters as a consideration in planting seedlings by the conditions presented by the sensor. Then to see the water condition at each point of the location is presented on the location menu. Here is the interface design of the irrigation data detail page (Fig. 5).




Fig. 5. Location control page interface design and water quality ASPIRASI app.

On the Location control, the admin page will be presented several locations of irrigation points that have been marketed by the previous sensor (Figure 4(a)). When the admin chooses one of the locations, it will appear data in numbers that provide information about several things, starting from the temperature, humidity, and carbon dioxide content at the irrigation point. This data can be used as an information consideration for agriculture residents, such as soil moisture, water discharge, and temperature. It could be the consideration of the type of plant

suitable for environmental conditions to get more satisfactory results for the surrounding residents. This study is in line with previous reports [39-42].

5. Conclusion

ASPIRASI application presents water and soil quality sensor information at the irrigation point in real-time but based on periodic to get actual data. In addition, this application is easy to use because users only need to access it through a smartphone anytime and anywhere, without monitoring it in a certain place. Another capability of the system built is the ability of the system to send data wirelessly and periodically between sensor devices to applications with a relatively fast time of only a matter of minutes. The data presented in the application is expected to be a consideration for the majority of the surrounding communities as farmers to maximize their agricultural results with data on humidity, temperature, and carbon dioxide content to get maximum agricultural results. However, this research is still limited to one area. Further studies might cover more areas and adopt other technologies in irrigation monitoring systems.

References

1. Yasa, M. (2010). Ekonomi hijau, produksi bersih dan ekonomi kreatif: pendekatan pencegahan resiko lingkungan menuju pertumbuhan ekonomi berkualitas di provinsi Bali. *Jurnal Bumi Lestari*, 10(2), 285-294
2. Bergius, M.; Benjaminsen, T.A.; Maganga, F.; and Buhaug, H. (2020). Green economy, degradation narratives, and land-use conflicts in Tanzania. *World Development*, 129, 104850.
3. Vargas-Hernández, J.G. (2020). Strategic transformational transition of green economy, green growth and sustainable development: An institutional approach. *International Journal of Environmental Sustainability and Green Technologies (IJESGT)*, 11(1), 34-56.
4. Tulebayeva, N.; Yergobek, D.; Pestunova, G.; Mottaeva, A.; and Sapakova, Z. (2020). Green economy: Waste management and recycling methods. *E3S Web of Conferences*, 159, 01012.
5. Ruiz-Real, J.L.; Uribe-Toril, J.; Torres Arriaza, J.A.; and de Pablo Valenciano, J. (2020). A look at the past, present and future research trends of artificial intelligence in agriculture. *Agronomy*, 10(11), 1839.
6. Farooq, M.S.; Riaz, S.; Abid, A.; Umer, T.; and Zikria, Y.B. (2020). Role of IoT technology in agriculture: A systematic literature review. *Electronics*, 9(2), 319.
7. Chiranjeevi, K.; Tripathi, M.K.; and Maktedar, D.D. (2021). Block chain technology in agriculture product supply chain. 2021 *International Conference on Artificial Intelligence and Smart Systems (ICAIS)*, 1325- 1329.
8. Hofmann, T.; Lowry, G.V.; Ghoshal, S.; Tufenkji, N.; Brambilla, D.; Dutcher, J.R.; and Wilkinson, K.J. (2020). Technology readiness and overcoming barriers to sustainably implement nanotechnology-enabled plant agriculture. *Nature Food*, 1(7), 416-425.
9. Chavas, J.P.; and Nauges, C. (2020). Uncertainty, learning, and technology adoption in agriculture. *Applied Economic Perspectives and Policy*, 42(1), 42-53.

10. Takahashi, K.; Muraoka, R.; and Otsuka, K. (2020). Technology adoption, impact, and extension in developing countries' agriculture: A review of the recent literature. *Agricultural Economics*, 51(1), 31-45.
11. Hubich, E.; and Slysheva, E. (2021). Directions of improvement of economic approach to the "green economy" of the world. *International Conference Science, Education, Innovation: Topical Issues and Modern Aspects*, 235-241.
12. Khor, M. (2011). Challenges of the green economy concept and policies in the context of sustainable development, poverty and equity. *The Transition to a Green Economy: Benefits, Challenges and Risks from a Sustainable Development Perspective*, 69, 66-97.
13. Norouzi, N. (2021). Green economy: A necessary decision to be taken. *Universal Journal of Finance and Economics*, 1(1), 3-12.
14. Vertakova, Y.; and Plotnikov, V. (2017). Problems of sustainable development worldwide and public policies for green economy. *Economic Annals-XXI*, 166, 4-11.
15. Yi, H.; and Liu, Y. (2015). Green economy in China: Regional variations and policy drivers. *Global Environmental Change*, 31, 11-19.
16. Kudryashova, Y.S. (2021). Prospects for the transition of the eaeu to a green economy: Experience of the European union for green growth of the eurasian economic union and conditions of cooperation between the EAEU and the EU. *Industry 4.0*, 105-116. Palgrave Macmillan, Cham.
17. Moşteanu, N.R.; Faccia, A.; and Cavaliere, L.P.L. (2020). Digitalization and green economy-changes of business perspectives. *Proceedings of the 2020 4th International Conference on Cloud and Big Data Computing*, 108- 112.
18. Abdildin, Y.G.; Nurkenov, S.A.; and Kerimray, A. (2021). Analysis of green technology development in Kazakhstan. *International Journal of Energy Economics and Policy*, 11(3), 269-279.
19. Malanga, D.F.; and Simwaka, K. (2021). ICTs as potential enablers of the green economy in the southern African development community. In: Finlay, A.(Ed). *Technology, the Environment and Sustainable Development: Responses from the Global South. Global Information Society Watch*, 2020, 57-63.
20. Wang, H.; Cui, H.; and Zhao, Q. (2021). Effect of green technology innovation on green total factor productivity in China: Evidence from spatial Durbin model analysis. *Journal of Cleaner Production*, 288, 125624.
21. Tariq, G.H., Ashraf, M., and Hasnain, U.S. (2021). Solar technology in agriculture. *Intech Open*, 1-21.
22. Sajja, G.S.; Rane, K.P.; Phasinam, K.; Kassanuk, T.; Okoronkwo, E.; and Prabhu, P. (in press). Towards applicability of blockchain in agriculture sector. *Materials Today: Proceedings*.
23. Vazquez, J.P.G.; Torres, R.S.; and Perez, D.B.P. (2021). Scientometric analysis of the application of artificial intelligence in agriculture. *Journal of Scientometric Research*, 10(1), 55-62.
24. Aljanabi, H.A.Y. (2021). Effects of nano fertilizers technology on agriculture production. *Annals of the Romanian Society for Cell Biology*, 6728-6739.
25. Haffaf, A.; Lakdja, F.; Meziane, R.; and Abdeslam, D.O. (2021). Study of economic and sustainable energy supply for water irrigation system (WIS). *Sustainable Energy. Grids and Networks*, 25, 1-18.

26. Amiri, Z.; Gheysari, M.; Mosaddeghi, M.R.; Amiri, S.; and Tabatabaei, M.S. (2021). An attempt to find a suitable place for soil moisture sensor in a drip irrigation system. *Information Processing in Agriculture*, 1-27.
27. Astawa, I.P.; Triyuni, N.N.; and Santosa, I.D.M.C. (2018). Sustainable tourism and harmonious culture: a case study of cultic model at village tourism. *Journal of Physics: Conference Series*, 953(1), 012057.
28. Mukhambetova, Z.S.; Mataeva, B.T.; Zhuspekova, A.K.; Zambinova, G.K.; and Omarkhanova, Z.M. (2019). Green economy in rural tourism. News of the National Academy of Sciences of the Republic of Kazakhstan. *Series of Social Sciences and Humanities*, 6(328), 65-69.
29. Fan, J.; Zhang, F.; Wu, L.; Yan, S.; and Xiang, Y. (2016). Field evaluation of fertigation uniformity in drip irrigation system with pressure differential tank. *Transactions of the Chinese Society of Agricultural Engineering*, 32(12), 96- 101.
30. Abioye, E.A.; Abidin, M.S.Z.; Mahmud, M.S.A.; Buyamin, S.; AbdRahman, M.K.I.; Otuoze, A.O.; and Ijike, O.D. (2021). IoT-based monitoring and data-driven modelling of drip irrigation system for mustard leaf cultivation experiment. *Information Processing in Agriculture*, 8(2), 270-283
31. Syu, W.J.; Chang, T.K.; and Pan, S.Y. (2020). Establishment of an automatic real-time monitoring system for irrigation water quality management. *International Journal of Environmental Research and Public Health*, 17(3), 737.
32. Saraf, S.B.; and Gawali, D.H. (2017). IoT based smart irrigation monitoring and controlling system. *2017 2nd IEEE International Conference on Recent Trends in Electronics, Information and Communication Technology (RTEICT)*, 815-819.
33. Sharma, D.; Bhondekar, A.P.; Ojha, A.; Shukla, A.K.; and Ghanshyam, C. (2016). A technical assessment of IOT for Indian agriculture sector. *International Journal Computer Application*. 2016(1), 1-5.
34. Aponte-Luis, J.; Gómez-Galán, J.A.; Gómez-Bravo, F.; Sánchez-Raya, M.; Alcina-Espigado, J.; and Teixido-Rovira, P. M. (2018). An efficient wireless sensor network for industrial monitoring and control. *Sensors*, 18(1), 182.
35. Vaishali, S.; Suraj, S.; Vignesh, G.; Dhivya, S.; and Udhayakumar, S. (2017, April). Mobile integrated smart irrigation management and monitoring system using IOT. *2017 International Conference on Communication and Signal Processing (ICCSP)*, 2164-2167.
36. Kamaruddin, F.; Abd Malik, N.N.N.; Murad, N.A.; Latiff, N.M.A.A.; Yusof, S.K.S.; and Hamzah, S.A. (2019). IoT-based intelligent irrigation management and monitoring system using Arduino. *Telkomnika*, 17(5), 2378-2388.
37. Maulana, H.; Ginting, S.L.B.; Aryan, P.; Fadillah, M.R.; and Kamal, R.N. (2021). Utilization of internet of things on food supply chains in food industry. *International Journal of Informatics, Information System and Computer Engineering (INJIISCOM)*, 2(1), 103-112.
38. Pangaribuan, I.; Rahman, A.; and Mauluddin, S. (2020). Computer and network equipment management system (CNEMAS) application measurement. *International Journal of Informatics, Information System and Computer Engineering (INJIISCOM)*, 1, 23-34.

39. Adebayo, A.E.; and Ochayi, O.A. (2022). Utilization of internet services among students of polytechnic institutions in Kwara State. *Indonesian Journal of Multidisciplinary Research*, 2(1), 27-42.
40. Fadillah, P.; Nandiyanto, A.B.D.; Kurniawan T.; and Bilad, M.R. (2022). Internet literature: Increasing information competence in the learning process of students of class 7 middle school. *Indonesian Journal of Educational Research and Technology*, 2(2), 81-86.
41. Maulana, H.; Br Ginting, S.; Aryan, P.; Fadillah, M.; and Kamal, R. (2021). Utilization of internet of things on food supply chains in food industry. *International Journal of Informatics, Information System and Computer Engineering (INJIISCOM)*, 2(1), 103-112.
42. Thapwiroch, K.; Kumlue, A.; Saoyong, N.; Taprasan, P.; Puengsungewan, S. (2021). Easy-mushroom mobile application using the Internet of Things (IoT). *Indonesian Journal of Educational Research and Technology*, 1(2), 1-6.